



SYSTEMS OF CORD GLIDERS WITH CONSTANT SPACING

Obtain elegant and uniform curtain folds with gliders that are equally spaced by means of a thin cord.

Distance between the gliders: 30*, 60 or 80 mm.

*) only the 2nd generation (G2)






G1 and G6 glider cord with constant spacing

The glider is over-moulded onto the cord and can therefore turn only partially to the right or to the left and not 360° around its axis.

Nevertheless, the particular shape of the eyelet, allows a large rotation of the curtain tape hook, in order to guarantee perfectly uniform curtain folds.


Available on spools of 25, 50 or 100 meter; with the possibility of protective sleeve packaging to ensure a smooth unwinding from the spools.








G2 spacer cords and revolving gliders




Assembly example of round revolving glider, nucleus d. 3,3 mm, head d. 5.3 mm and cord with round buttons d. 3,7 mm, spacing 80 mm. The glider turns freely 360° after it has been snapped onto the button.

Packaging units of the gliders: 110 pces. per bag, 1.100 pces. per box, 26.400 pces. outer box




ARS686BA53/0101 round revolving G2 glider, nucleus d. 3,3, head d. 5,3 mm



ARS686BA10/0101

round revolving G2 glider, nucleus d. 3,3, head d. **10 mm**




ARS686BA08/0101

round revolving G2 glider, nucleus d. 4, head d. 8 mm



ARS686BA12/0101

round revolving G2 glider, nucleus d. 3,3, head d. **12 mm**




ARS686BA12/0501

round revolving G2 glider, nucleus d. 5 mm, head d. **12 mm**, h. 20 mm




ARS686BA00/0001

glider G2 MOTO, with wheels and rotating eyelet




ARS686BC10/0001

round revolving glider G2 **UP**, nucleus d. 5,3, head d. **10 mm**




ARS686BE00/0001

twist-in glider G2 **TWIST**, with eyelet, nucleus q **5,5 mm**




ARS686EA53/0101

round revolving G2 glider, with pin hook, nucleus d. 3,3, head d. **5,3 mm**



ARS686EA10/0101

round revolving G2 glider, with pin hook, nucleus d. 3,3, head d. **10 mm**



ARS6860030...

G2 cord with buttons d. 3,7, spacing 30 mmAvailable on bobbins of 100 meter

ARS6860060...

G2 cord with buttons d. 3,7, spacing 60 mmAvailable on bobbins of 25, 50 and 100 meter

ARS6860080...

G2 cord with buttons d. 3,7, spacing 80 mmAvailable on bobbins of 25, 50 and 100 meter

The G2 cords can also be obtained <u>preassembled</u> with the matching gliders with eyelet.


For more information consult our website <u>www.atp.it</u>


and select the product group "systems for WAVE effect".



G3 spacer cords and revolving gliders

For flat rails with a channel height ≥ 4 mm






Assembly example of round revolving glider with pin hook , nucleus d 3,3 mm, head d 5,3 mm h2 mm and cord with round buttons d 2 mm, spacing 60 mm.


The glider with pin hook turns freely 360° after it has been snapped onto the button.

Packaging units of the gliders: 110 pces. per bag, 1.100 pces. per box, 26.400 pces. outer box




ARS686BB53/0101

round revolving glider G3, nucleus d 3,3 head d **5,3** h2 mm




Ø5.4 **ARS686BB10/0101**

round revolving glider G3, nucleus d 5,4 head d **10** h2 mm




ARS686EB53/0101

round revolving glider G3, with pin hook nucleus d 3,3 head d **5,3** h2 mm



Ø5.4 ARS686EB10/0101

round revolving glider G3, with pin hook nucleus d 5,4 head d **10** h2 mm



ARS6860B60...

G3 cord with buttons d 2 mm, spacing 60 mm Available on bobbins of 25, 50 and 100 m.

ARS6860B80...

G3 cord with buttons d 2 mm, spacing 80 mmAvailable on bobbins of 25, 50 and 100 m.


The G3 cords can also be obtained <u>preassembled</u> with the matching gliders with eyelet.

For more information consult our website <u>www.atp.it</u>

and select the product group "systems for WAVE effect".



G7 cord with roller glider with constant spacing



Assembly example of conic roller, d. 7,6 mm, spindle d. 2,5 mm and cord with closed body, height 22 mm, nucleus 2,5 mm.

The closed body is over-moulded onto the cord and can therefore turn only partially to the right or to the left and not 360° around its axis.

Nevertheless, the shape of the eyelet, allows a good rotation of the curtain tape hook, in order to guarantee perfectly uniform curtain folds



ARS6860H80/00BA

Cord with closed body G7, height 22 mm, nucleus 2,5 mm, spacing 80 mm

Available on bobbins of 100 m




ARS686T000/0001

Conic roller d 7,6 mm, spindle d 2,5 mm


Packaging units: 500 pces. per bag - 40.000 pces. per box




WAVE start glider




art. ARS686JA00/0101 (replaces art. ARS686JA00/0001)



The glider consists of two parts, connected by two small joints.




The installer needs to mount the two components in the desired position, depending of the moving direction of the curtain.



Combinable with the cords:

- with glider **G1** ARS686B060 or ARS686B080
- with button **G2** ARS6860030, ARS6860060 or ARS6860080
- with button **G3** <u>ARS6860B60</u> or <u>ARS6860B80</u>
- with glider **G6** <u>ARS6860C60</u> or <u>ARS6860C80</u>



Its purpose is to let the first wave start straight and perpendicular to the curtain rail. If necessary **curtain pull baton** can be applied as illustrated in the images above.