

**atp di F. Garzoni**

I - 25074 LAVENONE - BS - ITALY

via del Tram, 8

P.Iva P.Iva IT00232730986

FAX +39 0365 823054

www.atp.it - info@atp.it

articoli tecnici per l'industria e la casa

termoplastici e metalli

**industrial and housing technical items**

**thermoplastic and metal**



**Update: 23-09-2022 10:24:26**

## CATALOG - MA - ضباقم لاراوسسك



Our online catalogue on [www.atp.it](http://www.atp.it) is always up-to-date.



Index (in order of appearance in the catalog):

- Roses and selvages 50 mm

**Minimum order = 1 bag/box**

**The measures and weights indicated in the catalogue are nominal values.**

**The descriptions between equals (= =) are special versions without immediate availability on stock.**

**Discard up to a 1% is to be considered normal.**

Position Article code	Description	Material	Color Finish	Packaging Outer pack.
366.a MTRT500A00/0000	Threaded rosette d 50x10 mm, for spring	brass	- grezzo	500 x box 500
		<p>To be combined with:  screw covering ring d 50x10, with hole d 35 et pos.<a href="#">369.a</a> ,  the torsion spring thickness 2,5 at pos.<a href="#">348.b</a>  the right-left spring d 33 at pos.<a href="#">346.d</a> and pos.<a href="#">346.h</a>  the cam washers pos.<a href="#">349.a</a> or <a href="#">351.a</a>  the circlip d 15 at pos.<a href="#">352.a</a></p>		

Position Article code	Description	Material	Color Finish	Packaging Outer pack.
367.a MTBT5000V0/0000	Key rosette d 50x10 mm, OB hole (oval), turned and threaded	brass	- grezzo	500 x box 500
		<p>To be combined with:  screw covering ring d 50x10, with hole d 35 at pos.<a href="#">369.a</a></p>		

Position Article code	Description	Material	Color Finish	Packaging Outer pack.
368.a MTBT5000Y0/0000	Key rosette d 50x10 mm, PZ hole (yale), turned and threaded	brass	- grezzo	500 x box 500
		<p>To be combined with:  screw covering ring d 50x10, with hole d 35 at pos.<a href="#">369.a</a></p>		

Position Article code	Description	Material	Color Finish	Packaging Outer pack.
369.a MTRT500AA0/0000	Screw covering ring d 50x10 mm threaded, hole d 35 mm	brass	- grezzo	500 x box 500
		<p>To be combined with:  the rosettes d 50x10 at pos.<a href="#">366.a</a>  key rosettes d 50x10 OB and PZ hole at pos.<a href="#">367.a</a> and <a href="#">368.a</a></p>		