

**atp di F. Garzoni**

I - 25074 LAVENONE - BS - ITALY

via del Tram, 8

P.Iva P.Iva IT00232730986

FAX +39 0365 823054

www.atp.it - info@atp.it

articoli tecnici per l'industria e la  
casa

termoplastici e metalli

**industrial and housing technical  
items**

**thermoplastic and metal**



**Update: 17-09-2019 10:57:11**

## CATALOG - MA - ضباقم لى تاراوسسك



Our online catalogue on [www.atp.it](http://www.atp.it) is always up-to-date.



Index (in order of appearance in the catalog):

- Dry Keep roses for windows (4-8 positions)

**Minimum order = 1 bag/box**

**The measures and weights indicated in the catalogue are nominal values.**

**The descriptions between equals (= =) are special versions without immediate availability on stock.**


**Discard up to a 1% is to be considered normal.**

Position Article code	Description	Material	Color Finish	Packaging Outer pack.
284.b.80 MKDV306P16/0001	Oval rosette 30x60 mm 8 position, screw holes without nuts, hole -A- d 16 mm, neck -B- d 22 mm, for adjustable spindle toothed on 2 sides	polyamide polyacetal steel	neutral -	500 x box 500
		<p>To be combined with: the oval rosettes 30x60x10 from pos.279.a to pos.281.c and the rectangular rosettes 30x60x9,5 from pos.285.m.20 to pos.285.m.42 and adjustable spindle toothed on 2 sides from pos.313.l.05</p>		

Position Article code	Description	Material	Color Finish	Packaging Outer pack.
284.b.85 MKDV306P16/0101	Oval rosette 30x60 mm 8 position, screw holes with nuts, hole -A- d 16 mm, neck -B- d 22 mm, for adjustable spindle toothed on 2 sides	polyamide polyacetal steel	neutral -	500 x box 500
		<p>To be combined with: the oval rosettes 30x60x10 from pos.279.a to pos.281.c and the rectangular rosettes 30x60x9,5 from pos.285.m.20 to pos.285.m.42 and adjustable spindle toothed on 2 sides from pos.313.l.05</p>		



Position Article code	Description	Material	Color Finish	Packaging Outer pack.
284.c.13 MKDV306D16/0501	Oval 8 position rosette 30x60 mm, screw holes without nuts, with zinc-plated spindle square 7x59 mm, spindle length on handle side -A- 29 mm, on window side -B- 28 mm	polyamide polyacetal iron	neutral - -	250 x box 250
284.c.14 MKDV306D16/0601	Oval 8 position rosette 30x60 mm, screw holes without nuts, with zinc-plated spindle square 7x61 mm, spindle length on handle side -A- 29 mm, on window side -B- 30 mm	polyamide polyacetal iron	neutral - -	250 x box 250
284.c.15 MKDV306D16/0701	Oval 8 position rosette 30x60 mm, screw holes without nuts, with zinc-plated spindle square 7x67 mm, spindle length on handle side -A- 29 mm, on window side -B- 36 mm	polyamide polyacetal iron	neutral - -	250 x box 250
284.c.16 MKDV306D16/0801	Oval 8 position rosette 30x60 mm, screw holes without nuts, with zinc-plated spindle square 7x70 mm, spindle length on handle side -A- 27 mm, on window side -B- 41 mm	polyamide polyacetal iron	neutral - -	250 x box 250
284.c.17 MKDV306D16/0901	Oval 8 position rosette 30x60 mm, screw holes without nuts, with zinc-plated spindle square 7x74 mm, spindle length on handle side -A- 29 mm, on window side -B- 43 mm	polyamide polyacetal iron	neutral - -	250 x box 250
284.c.18 MKDV306D16/1101	Oval 8 position rosette 30x60 mm, screw holes without nuts, with zinc-plated spindle square 7x64 mm, spindle length on handle side -A- 28 mm, on window side -B- 32 mm	polyamide polyacetal iron	neutral - -	250 x box 250
284.c.19 MKDV306D16/05BR	Oval 8 position rosette 30x60 mm, screw holes without nuts, with zinc-plated spindle square 7x59 mm, spindle length on handle side -A- 29 mm, on window side -B- 28 mm	polyamide polyacetal iron	gold bronze -	250 x box 250
284.c.20 MKDV306D16/06BR	Oval 8 position rosette 30x60 mm, screw holes without nuts, with zinc-plated spindle square 7x61 mm, spindle length on handle side -A- 29 mm, on window side -B- 30 mm	polyamide polyacetal iron	gold bronze -	250 x box 250
284.c.21 MKDV306D16/07BR	Oval 8 position rosette 30x60 mm, screw holes without nuts, with zinc-plated spindle square 7x67 mm, spindle length on handle side -A- 29 mm, on window side -B- 36 mm	polyamide polyacetal iron	gold bronze -	250 x box 250
284.c.22 MKDV306D16/08BR	Oval 8 position rosette 30x60 mm, screw holes without nuts, with zinc-plated spindle square 7x70 mm, spindle length on handle side -A- 27 mm, on window side -B- 41 mm	polyamide polyacetal iron	gold bronze -	250 x box 250
284.c.23 MKDV306D16/09BR	Oval 8 position rosette 30x60 mm, screw holes without nuts, with zinc-plated spindle square 7x74 mm, spindle length on handle side -A- 29 mm, on window side -B- 43 mm	polyamide polyacetal iron	gold bronze -	250 x box 250
284.c.24 MKDV306D16/11BR	Oval 8 position rosette 30x60 mm, screw holes without nuts, with zinc-plated spindle square 7x64 mm, spindle length on handle side -A- 28 mm, on window side -B- 32 mm	iron polyamide polyacetal	gold bronze -	250 x box 250
284.c.50 MKDV306D16/11NA	=Oval 8 position rosette 30x60 mm, screw holes without nuts, with zinc-plated spindle square 7x64 mm, spindle length on handle side -A- 28 mm, on window side -B- 32 mm=	iron polyamide polyacetal	black - -	250 x box 250



== : see details  
To be combined with:  
the oval rosettes 30x60x10  
from pos.279.a to pos.281.c  
and the rectangular rosettes 30x60x9,5  
from pos.285.m.20 to pos.285.m.42

Position Article code	Description	Material	Color Finish	Packaging Outer pack.
284.d.04 MKDV306G16/0001	Oval 8 position rosette 30x60 mm, screw holes with nuts, with zinc-plated spindle square 7x8x78 mm, spindle length on handle side -A- 25 mm, on window side -B- 51 mm	polyamide polyacetal iron	neutral	250 x box 250
		To be combined with: the oval rosettes 30x60x10 from pos.279.a to pos.281.c and the rectangular rosettes 30x60x9,5 from pos.285.m.20 to pos.285.m.42		

Position Article code	Description	Material	Color Finish	Packaging Outer pack.
284.d.50 MKDV306K16/0201	Oval 8 position rosette 30x60 mm, screw holes with nuts, with zinc-plated spindle square 7x8x70 mm, square 8 mm over-coated, spindle length on handle side -A- 29 mm, on window side -B- 39 mm	polyamide polyacetal iron	neutral -	250 x box 250
		To be combined with: the oval rosettes 30x60x10 from pos.279.a to pos.281.c and the rectangular rosettes 30x60x9,5 from pos.285.m.20 to pos.285.m.42		