

**atp di F. Garzoni**

I - 25074 LAVENONE - BS - ITALY

via del Tram, 8

P.Iva P.Iva IT00232730986

FAX +39 0365 823054

www.atp.it - info@atp.it

articoli tecnici per l'industria e la casa

termoplastici e metalli

**industrial and housing technical items**

**thermoplastic and metal**



**Update: 06-10-2022 10:13:57**

## CATALOG - MA - ضباقم لى تاراوسسك



Our online catalogue on [www.atp.it](http://www.atp.it) is always up-to-date.



Index (in order of appearance in the catalog):

- Rectangular metal roses and selvages


**Minimum order = 1 bag/box**

**The measures and weights indicated in the catalogue are nominal values.**

**The descriptions between equals (= =) are special versions without immediate availability on stock.**

**Discard up to a 1% is to be considered normal.**

Position Article code	Description	Material	Color Finish	Packaging Outer pack.
750.b MTRR365000/0000	Rectangular rosette 30x65x12(0,8) mm, hole d 16 mm	brass	- grezzo	500 x box 500
750.d MLRR365000/0000	Rectangular rosette 30x65x12(1,0) mm, hole d 16 mm	aluminium	- grezzo	500 x box 500
750.d.05 MLRR365000/0100	Rectangular rosette 30x65x12(1,0) mm, hole d 22 mm	aluminium	- grezzo	500 x box 500
750.d.08 MLRR365000/0200	Rectangular rosette 30x65x12(1,0) mm, without hole	aluminium	- grezzo	500 x box 500
750.d.30 MRRR365000/0000	Rectangular rosette 30x65x12(0,8) mm, hole d 16 mm	iron	- grezzo	500 x box 500
750.f MXRR365000/0000	Rectangular rosette 30x65x12(0,8) mm, hole d 16 mm	stainless steel	- grezzo	500 x box 500
803.b.05 MLRR246000/0000	Rectangular rosette 24x60x6(0,8) mm, hole d 16 mm	aluminium	- grezzo	250 x box 250
803.c.05 MXRR246000/0000	Rectangular rosette 24x60x6(0,8) mm, hole d 16 mm	stainless steel	- grezzo	250 x box 250



The oval metal cover does not snap onto the tilt & turn mechanism, but remains fixed by the mounted handle.  
To be combined with:  
the oval rosettes 30x65x12  
4 positions  
at pos.304.q , at pos.304.t  
from pos.305.a to pos.305.g  
from pos.306.a to pos.306.g  
from pos.306.h.02 to pos.306.h.09  
from pos.306.i.02 to pos.306.i.09  
at pos.306.l.05 and pos.306.n.05  
from pos.306.t to pos.306.v  
the oval rosettes 30x65x12  
8 positions  
from pos.307.c.01 to pos.307.c.07  
from pos.307.c.08 to pos.307.c.30  
the oval rosettes 30x65x12  
4 positions, of metal  
from pos.307.a to pos.307.a.10,  
at pos.307.b  
and the oval rosettes 30x65 4 positions  
for clip-on fixation of the handle  
on pos.307.c.50 and 307.c.70