

**atp di F. Garzoni**

I - 25074 LAVENONE - BS - ITALY

via del Tram, 8

P.Iva P.Iva IT00232730986

FAX +39 0365 823054

www.atp.it - info@atp.it

**Update: 23-09-2019 05:50:41**

articoli tecnici per l'industria e la casa

termoplastici e metalli

**industrial and housing technical items**

**thermoplastic and metal**



## **CATALOG - MA - Accessories for handles**



Our online catalogue on [www.atp.it](http://www.atp.it) is always up-to-date.



Index (in order of appearance in the catalog):

- Tilt & Turn roses for windows (4-8 positions)


**Minimum order = 1 bag/box**


**The measures and weights indicated in the catalogue are nominal values.**

**The descriptions between equals (=) are special versions without immediate availability on stock.**

**Discard up to a 1% is to be considered normal.**

Accessories for handles / Tilt & Turn roses for windows (4-8 positions) / oval / 31x65

Position Article code	Description	Material	Color Finish	Packaging Outer pack
307.d MTRV315000/0000	Oval rosette 31x65x11(0,8) mm, hole d 24 mm	brass	- grezzo	500 x box 500
		To be combined with: the oval rosettes 31x65 4 and 8 positions from pos.307.d.01 to pos.307.d.20		

Position Article code	Description	Material	Color Finish	Packaging Outer pack
307.d.01 MKDV315A18/0001	Oval 4-8 position rosette 31x65 mm, screw holes with nuts, hole d 18 mm, neck d 21,5 mm	polyacetal	neutral -	500 x bag 1.000
307.d.02 MKDV315A18/000C	=Oval 4-8 position rosette 31x65 mm, screw holes with nuts, hole d 18 mm, neck d 21,5 mm=	polyacetal	light gold -	500 x bag 1.000
		Special gross prices for big quantities and == : see details To be combined with: the oval rosettes 31x65x11 at pos.307.d the rotor hole d 16 4 positions, for milled lever from pos.313.a to pos.313.b.05, or the rotor hole d 16 8 positions, for milled lever from pos.313.c.01 to pos.313.c.05 or the rotor hole d 16 4 positions, for riveting handle at pos.313.c.11		

Position Article code	Description	Material	Color Finish	Packaging Outer pack
307.d.20 MKDV315A18/0101	=Oval 4-8 position rosette 31x65 mm, screw holes without nuts, hole d 18 mm, neck d 21,5 mm=	polyacetal	neutral -	500 x bag 1.000
		== : see details To be combined with: the oval rosettes 31x65x11 at pos.307.d the rotor hole d 16 4 positions, for milled lever from pos.313.a to pos.313.b.05, or the rotor hole d 16 8 positions, for milled lever from pos.313.c.01 to pos.313.c.05 or the rotor hole d 16 4 positions, for riveting handle at pos.313.c.11		