

atp di F. Garzoni

I - 25074 LAVENONE - BS - ITALY

via del Tram, 8

P.Iva P.Iva IT00232730986

FAX +39 030 8382080

www.atp.it - info@atp.it

Update: 22-03-2023 07:28:09

articoli tecnici per l'industria e la casa

termoplastici e metalli

industrial and housing technical items

thermoplastic and metal



CATALOG - MA - Accessories for handles



Our online catalogue on www.atp.it is always up-to-date.

Index (in order of appearance in the catalog):


- Tilt & Turn roses for windows (4-8 positions)


Minimum order = 1 bag/box


The measures and weights indicated in the catalogue are nominal values.

The descriptions between equals (= =) are special versions without immediate availability on stock.


Discard up to a 1% is to be considered normal.

Position Article code	Description	Material	Color Finish	Packaging Outer pack
284.a MKDM306A10/0001	Compensation sleeve from d 10 to 12 mm, for screw hole nuts of the rosettes 30x60 mm and 30x65 mm with 4-8 positions	polyacetal	neutral -	500 x bag 35.000
284.b MKDM306A10/00BR	=Compensation sleeve from d 10 to 12 mm, for screw hole nuts of the rosettes 30x60 mm and 30x65 mm with 4-8 positions=	polyacetal	gold bronze -	500 x bag 500
		== : see details To be combined with: the oval rosettes 30x60 4 or 8 positions at pos.281.t from pos.282.a to pos.282.h.05 from pos.283.h.02 to pos.283.h.40 from pos.284.c.01 to pos.284.c.70 and the oval rosettes 30x65x12 4 or 8 positions at pos.304.t from pos.305.a to pos.305.g from pos.306.h.02 to pos.306.h.09 from pos.307.c.01 to pos.307.c.07		

Position Article code	Description	Material	Color Finish	Packaging Outer pack
313.a MKD264R000/0001	Rotor hole d 16 mm, 4 positions, for milled lever	polyamide	neutral -	500 x bag 7.000
313.b MKD264R000/00OC	Rotor hole d 16 mm, 4 positions, for milled lever	polyamide	light gold -	500 x bag 7.000
313.b.05 MKD264R000/00NA	=Rotor hole d 16 mm, 4 positions, for milled lever=	polyamide	black -	500 x bag 500
		== : see details To be combined with: the oval rosettes 28x64 4 and 8 positions from pos.311.a to pos.311.k from pos.312.a to pos.312.k and the oval rosettes 31x65 4 and 8 positions from pos.307.d.01 to pos.307.d.02 at pos.307.d.20		


Position Article code	Description	Material	Color Finish	Packaging Outer pack
313.b.20 MKD254R000/0001	Rotor hole d 16 mm, 4 positions, for clip-on fixation milled handle	polyamide	neutral -	500 x bag 7.000
		To be combined with: the oval rosettes 30x60 at pos.281.q and 281.t and the oval rosettes 30x65 at pos.304.q and 304.t		

Position Article code	Description	Material	Color Finish	Packaging Outer pack
313.c.01 MKD264R000/0101	Rotor hole d 16 mm, 8 positions, for milled lever	polyamide	neutral -	500 x bag 7.000
313.c.02 MKD264R000/010C	=Rotor hole d 16 mm, 8 positions, for milled lever=	polyamide	light gold -	500 x bag 7.000
313.c.05 MKD264R000/01NA	=Rotor hole d 16 mm, 8 positions, for milled lever=	polyamide	black -	500 x bag 7.000




== : see details
 To be combined with:
 the oval rosettes 28x64
 4 and 8 positions
 from pos.311.a to pos.311.k
 from pos.312.a to pos.312.k
 and the oval rosettes 31x65
 4 and 8 positions
 from pos.307.d.01 to pos.307.d.02
 at pos.307.d.20

Position Article code	Description	Material	Color Finish	Packaging Outer pack
313.c.11 MAZ016Z000/0000	*Rotor hole d 16 mm, 4 positions, for riveting handle*	zamak	- grezzo	500 x bag 500



To be combined with:
 the oval rosettes 28x64
 4 and 8 positions
 from pos.311.a to pos.311.k
 from pos.312.a to pos.312.k
 and the oval rosettes 31x65
 4 and 8 positions
 from pos.307.d.01 to pos.307.d.02
 at pos.307.d.20
 ** Available until stock is depleted.

Position Article code	Description	Material	Color Finish	Packaging Outer pack
314.a MAG1621242/0001	=Gasket d 16x21x24x2 mm=	polyamide	neutral -	500 x bag 30.000
314.b MAG1621242/000C	Gasket d 16x21x24x2 mm	polyamide	light gold -	500 x bag 3.000



== : see details
 To be combined with:
 oval 4 positions rosettes 28x64
 with neck 21,5
 at pos.311.b,311.d,311.k,
 312.b,312.d,312.k