

atp di F. Garzoni

I - 25074 LAVENONE - BS - ITALY

via del Tram, 8

P.Iva P.Iva IT00232730986

FAX +39 0365 823054

www.atp.it - info@atp.it

Update: 05-09-2019 06:13:43

articoli tecnici per l'industria e la casa

termoplastici e metalli

industrial and housing technical items

thermoplastic and metal



CATALOG - MA - Accessories for handles



Our online catalogue on www.atp.it is always up-to-date.

Index (in order of appearance in the catalog):

- Tilt & Turn roses for windows (4-8 positions)

Minimum order = 1 bag/box

The measures and weights indicated in the catalogue are nominal values.

The descriptions between equals (= =) are special versions without immediate availability on stock.

Discard up to a 1% is to be considered normal.


Position Article code	Description	Material	Color Finish	Packaging Outer pack
304.p.05 MKDV365N16/0001	Oval rosette 30x65 mm 4 position, screw holes without nuts, hole -A- d 16 mm, for adjustable spindle toothed on 2 sides	polyamide polyacetal steel	neutral -	500 x box 500
		<p>To be combined with: the oval rosettes 30x65x12 from pos.302.a to pos.304.a and the rectangular rosettes 30x65x12 from pos.750.b to pos.750.F and adjustable spindle toothed on 2 sides from pos.313.l.05</p>		

Position Article code	Description	Material	Color Finish	Packaging Outer pack
304.p.10 MKDV365N16/0101	Oval rosette 30x65 mm 4 position, screw holes with nuts, hole -A- d 16 mm, for adjustable spindle toothed on 2 sides	polyamide polyacetal steel	neutral -	500 x box 500
		<p>To be combined with: the oval rosettes 30x65x12 from pos.302.a to pos.304.a and the rectangular rosettes 30x65x12 from pos.750.b to pos.750.F and adjustable spindle toothed on 2 sides from pos.313.l.05</p>		

Position Article code	Description	Material	Color Finish	Packaging Outer pack
304.q MKDV365B16/0001	Oval 4-8 position rosette 30x65 mm, screw holes without nuts, hole d 18 mm	polyacetal	neutral	250 x bag 2.000
		<p>To be combined with: the oval rosettes 30x65x12 from pos.302.a to pos.304.a and the rectangular rosettes 30x65x12 from pos.750.b to pos.750.F and with the 4 position rotor for clip-on fixation of the handle on pos.313.b.20</p>		


Position Article code	Description	Material	Color Finish	Packaging Outer pack
304.t MKDV365B16/0101	Oval 4-8 position rosette 30x65 mm, screw holes with nuts, hole d 18 mm	polyacetal	neutral	250 x bag 250
		<p>To be combined with: the oval rosettes 30x65x12 from pos.302.a to pos.304.a and the rectangular rosettes 30x65x12 from pos.750.b to pos.750.F and with the 4 position rotor for clip-on fixation of the handle on pos.313.b.20</p>		

Position Article code	Description	Material	Color Finish	Packaging Outer pack
305.a MKDV365A16/0001	Oval 4 position rosette 30x65 mm, screw holes with nuts, with zinc-plated spindle square 7x59 mm, spindle length on handle side -A- 29 mm, on window side -B- 28 mm	polyamide polyacetal iron	neutral -	250 x box 250
305.b MKDV365A16/0101	Oval 4 position rosette 30x65 mm, screw holes with nuts, with zinc-plated spindle square 7x61 mm, spindle length on handle side -A- 29 mm, on window side -B- 30 mm	polyamide polyacetal iron	neutral -	250 x box 250
305.c MKDV365A16/0201	Oval 4 position rosette 30x65 mm, screw holes with nuts, with zinc-plated spindle square 7x67 mm, spindle length on handle side -A- 29 mm, on window side -B- 36 mm	polyamide polyacetal iron	neutral -	250 x box 250
305.d MKDV365A16/0301	Oval 4 position rosette 30x65 mm, screw holes with nuts, with zinc-plated spindle square 7x70 mm, spindle length on handle side -A- 28 mm, on window side -B- 39 mm	polyamide polyacetal iron	neutral -	250 x box 250
305.e MKDV365A16/0401	Oval 4 position rosette 30x65 mm, screw holes with nuts, with zinc-plated spindle square 7x74 mm, spindle length on handle side -A- 29 mm, on window side -B- 43 mm	polyamide polyacetal iron	neutral -	250 x box 250
305.f MKDV365A16/1101	Oval 4 position rosette 30x65 mm, screw holes with nuts, with zinc-plated spindle square 7x80 mm, spindle length on handle side -A- 27 mm, on window side -B- 51 mm	polyamide polyacetal iron	neutral -	250 x box 250
305.g MKDV365A16/1201	Oval 4 position rosette 30x65 mm, screw holes with nuts, with zinc-plated spindle square 7x64 mm, spindle length on handle side -A- 28 mm, on window side -B- 32 mm	polyamide polyacetal iron	neutral -	250 x box 250




To be combined with:
the oval rosettes 30x65x12
from pos.302.a to pos.304.a
and the rectangular rosettes 30x65x12
from pos.750.b to pos.750.F

Position Article code	Description	Material	Color Finish	Packaging Outer pack
306.a MKDV365A16/0501	Oval 4 position rosette 30x65 mm, screw holes without nuts, with zinc-plated spindle square 7x59 mm, spindle length on handle side -A- 29 mm, on window side -B- 28 mm	polyamide polyacetal iron	neutral -	250 x box 250
306.c MKDV365A16/0701	Oval 4 position rosette 30x65 mm, screw holes without nuts, with zinc-plated spindle square 7x67 mm, spindle length on handle side -A- 29 mm, on window side -B- 36 mm	polyamide polyacetal iron	neutral -	250 x box 250
306.d MKDV365A16/0801	Oval 4 position rosette 30x65 mm, screw holes without nuts, with zinc-plated spindle square 7x70 mm, spindle length on handle side -A- 29 mm, on window side -B- 39 mm	polyamide polyacetal iron	neutral -	250 x box 250
306.e MKDV365A16/0901	Oval 4 position rosette 30x65 mm, screw holes without nuts, with zinc-plated spindle square 7x74 mm, spindle length on handle side -A- 28 mm, on window side -B- 43 mm	polyamide polyacetal iron	neutral -	250 x box 250
306.f MKDV365A16/1001	Oval 4 position rosette 30x65 mm, screw holes without nuts, with zinc-plated spindle square 7x80 mm, spindle length on handle side -A- 27 mm, on window side -B- 51 mm	polyamide polyacetal iron	neutral -	250 x box 250
306.g MKDV365A16/1301	Oval 4 position rosette 30x65 mm, screw holes without nuts, with zinc-plated spindle square 7x64 mm, spindle length on handle side -A- 28 mm, on window side -B- 32 mm	polyamide polyacetal iron	neutral -	250 x box 250




To be combined with:
the oval rosettes 30x65x12
from pos.302.a to pos.304.a
and the rectangular rosettes 30x65x12
from pos.750.b to pos.750.f

Position Article code	Description	Material	Color Finish	Packaging Outer pack
306.h.02 MKDV365C16/0201	Oval 4 position rosette 30x65 mm, screw holes with nuts, with zinc-plated spindle square 7x8x63 mm, spindle length on handle side -A- 25 mm, on window side -B- 36 mm	polyamide polyacetal iron	neutral -	250 x box 250
306.h.03 MKDV365C16/0301	Oval 4 position rosette 30x65 mm, screw holes with nuts, with zinc-plated spindle square 7x8x69 mm, spindle length on handle side -A- 25 mm, on window side -B- 42 mm	polyamide polyacetal iron	neutral -	250 x box 250
306.h.04 MKDV365C16/0401	Oval 4 position rosette 30x65 mm, screw holes with nuts, with zinc-plated spindle square 7x8x78 mm, spindle length on handle side -A- 25 mm, on window side -B- 51 mm	polyamide polyacetal iron	neutral -	250 x box 250
306.h.06 MKDV365C16/1001	=Oval 4 position rosette 30x65 mm, screw holes with nuts, with zinc-plated spindle square 7x8x88 mm, spindle length on handle side -A- 25 mm, on window side -B- 61 mm=	polyamide polyacetal iron	neutral -	250 x box 250




== : see details
Minimum order quantity: 1.000 pces
To be combined with:
the oval rosettes 30x65x12
from pos.302.a to pos.304.a
and the rectangular rosettes 30x65x12
from pos.750.b to pos.750.f

Position Article code	Description	Material	Color Finish	Packaging Outer pack
306.i.02 MKDV365C16/0701	Oval 4 position rosette 30x65 mm, screw holes without nuts, with zinc-plated spindle square 7x8x63 mm, spindle length on handle side -A- 25 mm, on window side -B- 36 mm	polyamide polyacetal iron	neutral -	250 x box 250
306.i.03 MKDV365C16/0801	Oval 4 position rosette 30x65 mm, screw holes without nuts, with zinc-plated spindle square 7x8x69 mm, spindle length on handle side -A- 25 mm, on window side -B- 42 mm	polyamide polyacetal iron	neutral -	250 x box 250
306.i.04 MKDV365C16/0901	Oval 4 position rosette 30x65 mm, screw holes without nuts, with zinc-plated spindle square 7x8x78 mm, spindle length on handle side -A- 25 mm, on window side -B- 51 mm	polyamide polyacetal iron	neutral -	250 x box 250
306.i.06 MKDV365C16/1101	=Oval 4 position rosette 30x65 mm, screw holes without nuts, with zinc-plated spindle square 7x8x88 mm, spindle length on handle side -A- 25 mm, on window side -B- 61 mm=	polyamide polyacetal iron	neutral -	250 x box 250



== : see details
 Minimum order quantity: 1.000 pcs
 To be combined with:
 the oval rosettes 30x65x12
 from pos.302.a to pos.304.a
 and the rectangular rosettes 30x65x12
 from pos.750.b to pos.750.f

Position Article code	Description	Material	Color Finish	Packaging Outer pack
306.j.05 MKDV365L16/0001	Oval 4 position rosette 30x65 mm, screw holes with nuts, with zinc-plated spindle square 7x49 mm, without bushing, spindle length on handle side -A- 8 mm, on window side -B- 39 mm	polyamide polyacetal iron	neutral -	250 x box 250



To be combined with:
 the oval rosettes 30x65x12
 from pos.302.a to pos.304.a
 and the rectangular rosettes 30x65x12
 from pos.750.b to pos.750.f
 c: [click here](#) for more information

Position Article code	Description	Material	Color Finish	Packaging Outer pack
306.l.05 MKDV365H16/0001	Oval 4 position rosette 30x65 mm, screw holes with nuts, with zinc-plated spindle square 7x8x67 mm, square 8 mm over-coated, spindle length on handle side -A- 29 mm, on window side -B- 36 mm	polyamide polyacetal iron	neutral -	250 x box 250
306.l.07 MKDV365H16/0201	Oval 4 position rosette 30x65 mm, screw holes with nuts, with zinc-plated spindle square 7x8x70 mm, square 8 mm over-coated, spindle length on handle side -A- 29 mm, on window side -B- 39 mm	polyamide polyacetal iron	neutral -	250 x box 250
306.l.11 MKDV365H16/0401	Oval 4 position rosette 30x65 mm, screw holes with nuts, with zinc-plated spindle square 7x8x80 mm, square 8 mm over-coated, spindle length on handle side -A- 29 mm, on window side -B- 49 mm	polyamide polyacetal iron	neutral -	250 x box 250
		<p>Special gross prices for big quantities To be combined with: the oval rosettes 30x65x12 from pos.302.a to pos.304.a and the rectangular rosettes 30x65x12 from pos.750.b to pos.750.f c: click here for more information</p>		

Position Article code	Description	Material	Color Finish	Packaging Outer pack
306.n.05 MKDV365H16/0301	Oval 4 position rosette 30x65 mm, screw holes without nuts, with zinc-plated spindle square 7x8x70 mm, square 8 mm over-coated, spindle length on handle side -A- 29 mm, on window side -B- 39 mm	polyamide polyacetal iron	neutral -	250 x box 250
		<p>Special gross prices for big quantities To be combined with: the oval rosettes 30x65x12 from pos.302.a to pos.304.a and the rectangular rosettes 30x65x12 from pos.750.b to pos.750.f c: click here for more information</p>		

Position Article code	Description	Material	Color Finish	Packaging Outer pack
306.o.05 MKDV365J16/0001	Oval 4 position rosette 30x65 mm, screw holes with nuts, with zinc-plated spindle square 7x8x70 mm, square 8 mm over-coated, without bushing, spindle length on handle side -A- 29 mm, on window side -B- 39 mm	polyamide polyacetal iron	neutral -	250 x box 250
		<p>To be combined with: the oval rosettes 30x65x12 from pos.302.a to pos.304.a and the rectangular rosettes 30x65x12 from pos.750.b to pos.750.f c: click here for more information</p>		

Position Article code	Description	Material	Color Finish	Packaging Outer pack
306.t MKDV365A16/1501	Oval 4 position rosette 30x65 mm, screw holes without nuts, with zinc-plated spindle square 7x58 mm, not milled, spindle length on handle side -A- 24 mm, on window side -B- 31 mm	polyamide polyacetal iron	neutral -	250 x box 250
306.v MKDV365A16/1601	Oval 4 position rose 30x65 mm, screw holes without nuts, with zinc-plated spindle square 7x73 mm, not milled, spindle length on handle side -A- 19 mm, on window side -B- 51 mm	polyamide polyacetal iron	neutral -	250 x box 250

To be combined with:
the oval rosettes 30x65x12
from pos.302.a to pos.304.a
and the rectangular rosettes 30x65x12
from pos.750.b to pos.750.f

Position Article code	Description	Material	Color Finish	Packaging Outer pack
307.a MRDV365A16/0000	Oval rosette 30x65 mm 4 position, screw holes without nuts, with zinc-plated spindle 7x8x63 mm, spindle length on handle side -A- 29 mm, on window side -B- 32 mm	iron zamak	- nichelato	250 x box 200
307.a.10 MRDV365A16/0400	Oval rosette 30x65 mm 4 position, screw holes without nuts, with zinc-plated spindle 7x8x85 mm, spindle length on handle side -A- 29 mm, on window side -B- 55 mm	iron brass	- -	250 x box 250

To be combined with:
the gasket d 19x21x1,6
from pos.63.a to 63.g
the oval rosettes 30x65x12
from pos.302.a to pos.304.a
and the rectangular rosettes 30x65x12
from pos.750.b to pos.750.f

Position Article code	Description	Material	Color Finish	Packaging Outer pack
307.a.01 MRDV365A16/0200	Oval rosette 30x65 mm with 4 positions, screw holes with nuts, with zinc-plated spindle 7x8x57 mm, spindle length on handle side -A- 29 mm, on window side -B- 26 mm	iron zamak	- nichelato	250 x box 250
307.b MRDV365A16/0100	Oval rosette 30x65 mm 4 position, screw holes with nuts, with zinc-plated spindle 7x8x63 mm, spindle length on handle side -A- 29 mm, on window side -B- 32 mm	iron zamak	- nichelato	250 x box 200

To be combined with:
the oval rosettes 30x65x12
from pos.302.a to pos.304.a
and the rectangular rosettes 30x65x12
from pos.750.b to pos.750.f