

atp di F. Garzoni

I - 25074 LAVENONE - BS - ITALY

via del Tram, 8

P.Iva P.Iva IT00232730986

FAX +39 030 8382080

www.atp.it - info@atp.it

Update: 30-03-2023 06:53:06

articoli tecnici per l'industria e la casa

termoplastici e metalli

industrial and housing technical items

thermoplastic and metal



CATALOG - AR -

Accessories for curtains



Our online catalogue on www.atp.it is always up-to-date.

Index (in order of appearance in the catalog):

- Systems for WAVE effect


Minimum order = 1 bag/box

The measures and weights indicated in the catalogue are nominal values.

The descriptions between equals (= =) are special versions without immediate availability on stock.

Discard up to a 1% is to be considered normal.

Position Article code	Description	Material	Color Finish	Packaging Outer pack
97.f ARS686B060/00BA	Cord with round glider G1, nucleus d 3,3 mm, head d 11 mm, spacing 60 mm, for -U- rail	polyacetal polyester	white -	100 m x spool 1.000
97.f.01 ARS686B060/00NA	Cord with round glider G1, nucleus d 3,3 mm, head d 11 mm, spacing 60 mm, for -U- rail	polyacetal polyester	black -	100 m x spool 1.000
97.f.05 ARS686B060/01BA	Cord with round glider G1, nucleus d 3,3 mm, head d 11 mm, spacing 60 mm, for -U- rail, with protective wrap	polyacetal polyester	white -	100 m x spool 400
97.f.06 ARS686B060/01NA	Cord with round glider G1, nucleus d 3,3 mm, head d 11 mm, spacing 60 mm, for -U- rail, with protective wrap	polyacetal polyester	black -	100 m x spool 400
97.g ARS686B060H00BA	Cord with round glider G1, nucleus d 3,3 mm, head d 11 mm, spacing 60 mm, for -U- rail	polyacetal polyester	white -	50 m x spool 1.000
97.g.05 ARS686B060H01BA	Cord with round glider G1, nucleus d 3,3 mm, head d 11 mm, spacing 60 mm, for -U- rail, with protective wrap	polyacetal polyester	white -	50 m x spool 400
97.h ARS686B060M00BA	Cord with round glider G1, nucleus d 3,3 mm, head d 11 mm, spacing 60 mm, for -U- rail	polyacetal polyester	white -	25 m x spool 500
97.h.02 ARS686B060M00NA	Cord with round glider G1, nucleus d 3,3 mm, head d 11 mm, spacing 60 mm, for -U- rail	polyacetal polyester	black -	25 m x spool 500
97.h.05 ARS686B060M01BA	Cord with round glider G1, nucleus d 3,3 mm, head d 11 mm, spacing 60 mm, for -U- rail, with protective wrap	polyacetal polyester	white -	25 m x spool 500
97.l ARS686B080/00BA	Cord with round glider G1, nucleus d 3,3 mm, head d 11 mm, spacing 80 mm, for -U- rail	polyacetal polyester	white -	100 m x spool 1.000
97.l.01 ARS686B080/00NA	Cord with round glider G1, nucleus d 3,3 mm, head d 11 mm, spacing 80 mm, for -U- rail	polyacetal polyester	black -	100 m x spool 1.000
97.l.05 ARS686B080/01BA	Cord with round glider G1, nucleus d 3,3 mm, head d 11 mm, spacing 80 mm, for -U- rail, with protective wrap	polyacetal polyester	white -	100 m x spool 400
97.l.06 ARS686B080/01NA	Cord with round glider G1, nucleus d 3,3 mm, head d 11 mm, spacing 80 mm, for -U- rail, with protective wrap	polyacetal polyester	black -	100 m x spool 400
97.m ARS686B080H00BA	Cord with round glider G1, nucleus d 3,3 mm, head d 11 mm, spacing 80 mm, for -U- rail	polyacetal polyester	white -	50 m x spool 1.000
97.m.05 ARS686B080H01BA	Cord with round glider G1, nucleus d 3,3 mm, head d 11 mm, spacing 80 mm, for -U- rail, with protective wrap	polyacetal polyester	white -	50 m x spool 400
97.n ARS686B080M00BA	Cord with round glider G1, nucleus d 3,3 mm, head d 11 mm, spacing 80 mm, for -U- rail	polyacetal polyester	white -	25 m x spool 500
97.n.02 ARS686B080M00NA	Cord with round glider G1, nucleus d 3,3 mm, head d 11 mm, spacing 80 mm, for -U- rail	polyacetal polyester	black -	25 m x spool 500
97.n.05 ARS686B080M01BA	Cord with round glider G1, nucleus d 3,3 mm, head d 11 mm, spacing 80 mm, for -U- rail, with protective wrap	polyacetal polyester	white -	25 m x spool 500



Special gross prices for big quantities:
see details
To be combined with:
the wave start glider at pos.264.c