

atp di F. Garzoni

I - 25074 LAVENONE - BS - ITALY

via del Tram, 8

P.Iva P.Iva IT00232730986

FAX +39 0365 823054

www.atp.it - info@atp.it

Update: 06-12-2022 06:51:42

articoli tecnici per l'industria e la casa

termoplastici e metalli

industrial and housing technical items

thermoplastic and metal



CATALOG - AR -

Accessories for curtains



Our online catalogue on www.atp.it is always up-to-date.

Index (in order of appearance in the catalog):

- Systems for WAVE effect

Minimum order = 1 bag/box

The measures and weights indicated in the catalogue are nominal values.

The descriptions between equals (= =) are special versions without immediate availability on stock.

Discard up to a 1% is to be considered normal.


Position Article code	Description	Material	Color Finish	Packaging Outer pack
97.o.07 ARS686EA53/0101	Round revolving glider G2, with pin hook, nucleus d 3,3 mm, head d 5,3 mm, for -U- rail	polyacetal	neutral -	110 x bag 26.400
		Special gross prices for big quantities: see details Can be combined with the button cord G2 with 30 mm spacing at pos.97.t.50 , with 60 mm spacing from pos.97.u.05 and with the button cord G2 with 80 mm spacing from pos.97.v In order to calculate the number of required gliders to be combined with the button cord, you can use the Excel file "calculator" below.		

Position Article code	Description	Material	Color Finish	Packaging Outer pack
97.o.57 ARS686EA10/0101	Round revolving glider G2, with pin hook, nucleus d 3,3 mm, head d 10 mm, for -U- rail	polyacetal	neutral -	110 x bag 26.400
		Special gross prices for big quantities: see details Can be combined with the button cord G2 with 30 mm spacing at pos.97.t.50 , with 60 mm spacing from pos.97.u.05 and with the button cord G2 with 80 mm spacing from pos.97.v In order to calculate the number of required gliders to be combined with the button cord, you can use the Excel file "calculator" below.		

Position Article code	Description	Material	Color Finish	Packaging Outer pack
97.o.80 ARS686BA00/0001	Glider G2 MOTO with wheels and rotating eyelet	polyacetal aluminium	neutral -	110 x bag 110
		Article not produced by atp Can be combined with the button cord G2 with 30 mm spacing at pos.97.t.50 , with 60 mm spacing from pos.97.u.05 and with the button cord G2 with 80 mm spacing from pos.97.v In order to calculate the number of required gliders to be combined with the button cord, you can use the Excel file "calculator" below.		


Position Article code	Description	Material	Color Finish	Packaging Outer pack
97.p.10 ARS686BA53/0101	Round revolving glider G2, nucleus d 3,3 mm, head d 5,3 mm, for -U- rail	polyacetal	neutral -	110 x bag 26.400
		Special gross prices for big quantities: see details Can be combined with the button cord G2 with 30 mm spacing at pos.97.t.50 , with 60 mm spacing from pos.97.u.05 and with the button cord G2 with 80 mm spacing from pos.97.v In order to calculate the number of required gliders to be combined with the button cord, you can use the Excel file "calculator" below.		

Position Article code	Description	Material	Color Finish	Packaging Outer pack
97.r.10 ARS686BA10/0101	Round revolving glider G2, nucleus d 3,3 mm, head d 10 mm, for -U- rail	polyacetal	neutral -	110 x bag 26.400
97.r.15 ARS686BA10/01CM	Round revolving glider G2, nucleus d 3,3 mm, head d 10 mm, for -U- rail	polyacetal	chrom matt -	110 x bag 26.400
97.r.20 ARS686BA10/01NA	Round revolving glider G2, nucleus d 3,3 mm, head d 10 mm, for -U- rail	polyacetal	black -	110 x bag 26.400




Special gross prices for big quantities: see details
 Can be combined with the button cord G2 with 30 mm spacing at pos.97.t.50 , with 60 mm spacing from pos.97.u.05 and with the button cord G2 with 80 mm spacing from pos.97.v
 In order to calculate the number of required gliders to be combined with the button cord, you can use the Excel file "calculator" below.

Position Article code	Description	Material	Color Finish	Packaging Outer pack
97.r.35 ARS686BA12/0101	Round revolving glider G2, nucleus d 3,3 mm, head d 12 mm, for -U- rail	polyacetal	neutral -	110 x bag 26.400
97.r.36 ARS686BA12/01NA	Round revolving glider G2, nucleus d 3,3 mm, head d 12 mm, for -U- rail	polyacetal	black -	110 x bag 26.400




Special gross prices for big quantities: see details
 Can be combined with the button cord G2 with 30 mm spacing at pos.97.t.50 , with 60 mm spacing from pos.97.u.05 and with the button cord G2 with 80 mm spacing from pos.97.v
 In order to calculate the number of required gliders to be combined with the button cord, you can use the Excel file "calculator" below.

Position Article code	Description	Material	Color Finish	Packaging Outer pack
97.r.60 ARS686BA12/0501	Round revolving glider G2, nucleus d 5 mm, head d 12 mm, height 20 mm, for -U- rail	polyacetal	neutral -	110 x bag 880




Can be combined with the button cord G2 with 30 mm spacing at pos.97.t.50 , with 60 mm spacing from pos.97.u.05 and with the button cord G2 with 80 mm spacing from pos.97.v
 In order to calculate the number of required gliders to be combined with the button cord, you can use the Excel file "calculator" below.

Position Article code	Description	Material	Color Finish	Packaging Outer pack
97.s.10 ARS686BA08/0101	Round revolving glider G2, nucleus d 4 mm, head d 8 mm, height 2,5 mm, for -U- rail	polyacetal	neutral -	110 x bag 26.400
97.s.15 ARS686BA08/01NA	Round revolving glider G2, nucleus d 4 mm, head d 8 mm, height 2,5 mm, for -U- rail	polyacetal	black -	110 x bag 26.400




Special gross prices for big quantities:
see details
Can be combined with
the button cord G2
with 30 mm spacing at pos.97.t.50 ,
with 60 mm spacing from pos.97.u.05
and with the button cord G2
with 80 mm spacing from pos.97.v
In order to calculate the number
of required gliders
to be combined with the button cord,
you can use the Excel file
"calculator" below.

Position Article code	Description	Material	Color Finish	Packaging Outer pack
97.s.50 ARS686BC10/0001	Round revolving glider G2 UP, nucleus d 5,3 mm, head d 10 mm, for -U- rail	polyacetal	neutral -	110 x bag 26.400
97.s.55 ARS686BC10/00CM	Round revolving glider G2 UP, nucleus d 5,3 mm, head d 10 mm, for -U- rail	polyacetal	chrom matt -	110 x bag 26.400
97.s.60 ARS686BC10/00NF	Round revolving glider G2 UP, nucleus d 5,3 mm, head d 10 mm, for -U- rail	polyacetal	black -	110 x bag 26.400




Special gross prices for big quantities:
see details
Can be combined with
the button cord G2
with 30 mm spacing at pos.97.t.50 ,
with 60 mm spacing from pos.97.u.05
and with the button cord G2 with 80 mm
spacing from pos.97.v
In order to calculate the number
of required gliders
to be combined with the button cord,
you can use the Excel file
"calculator" below.

Position Article code	Description	Material	Color Finish	Packaging Outer pack
97.s.80 ARS686BE00/0001	Twist-in glider with eyelet G2 TWIST, nucleus 5,5 mm, for U-rail	polyacetal	neutral -	110 x bag 26.400



Special gross prices for big quantities:
see details
Can be combined with
the button cord G2
with 30 mm spacing at pos.97.t.50 ,
with 60 mm spacing from pos.97.u.05
and with the button cord G2
with 80 mm spacing from pos.97.v
In order to calculate the number
of required gliders
to be combined with the button cord,
you can use the Excel file
"calculator" below.

Position Article code	Description	Material	Color Finish	Packaging Outer pack
97.t.50 ARS6860030/00BA	Cord G2 with buttons d 3,7 mm, spacing 30 mm	polyacetal polyester	white -	100 m x spool 1.000
97.u.05 ARS6860060/00BA	Cord G2 with buttons d 3,7 mm, spacing 60 mm	polyacetal polyester	white -	100 m x spool 1.000
97.u.06 ARS6860060/00NA	Cord G2 with buttons d 3,7 mm, spacing 60 mm	polyacetal polyester	black -	100 m x spool 1.000
97.u.07 ARS6860060/00GL	Cord G2 with buttons d 3,7 mm, spacing 60 mm	polyacetal polyester	grey -	100 m x spool 1.000
97.u.15 ARS6860060M00BA	Cord G2 with buttons d 3,7 mm, spacing 60 mm	polyacetal polyester	white -	25 m x spool 1.000
97.u.20 ARS6860060H00BA	Cord G2 with buttons d 3,7 mm, spacing 60 mm	polyacetal polyester	white -	50 m x spool 1.000
97.u.22 ARS6860060H00NA	Cord G2 with buttons d 3,7 mm, spacing 60 mm	polyacetal polyester	black -	50 m x spool 1.000
97.v ARS6860080/00BA	Cord G2 with buttons d 3,7 mm, spacing 80 mm	polyacetal polyester	white -	100 m x spool 1.000
97.v.06 ARS6860080/00NA	Cord G2 with buttons d 3,7 mm, spacing 80 mm	polyacetal polyester	black -	100 m x spool 1.000
97.v.07 ARS6860080/00GL	Cord G2 with buttons d 3,7 mm, spacing 80 mm	polyacetal polyester	grey -	100 m x spool 1.000
97.w ARS6860080M00BA	Cord G2 with buttons d 3,7 mm, spacing 80 mm	polyacetal polyester	white -	25 m x spool 1.000
97.x ARS6860080H00BA	Cord G2 with buttons d 3,7 mm, spacing 80 mm	polyacetal polyester	white -	50 m x spool 1.000
97.x.01 ARS6860080H00NA	Cord G2 with buttons d 3,7 mm, spacing 80 mm	polyacetal polyester	black -	50 m x spool 1.000



Special gross prices for big quantities:
see details
To be combined with:
the round revolving gliders G2
on pos.97.p.10
from pos.97.r.10 to pos.97.r.15
and pos.97.s.10
and with the round revolving gliders G2
with pin hook on pos.97.o.07 and 97.o.57
the wave start glider at pos.264.c

Position Article code	Description	Material	Color Finish	Packaging Outer pack
97.x.04 ARS6860D60/01GL	G2 cord with button d 3,7 mm, spacing -P- 60 mm assembled with round revolving G2 glider, nucleus d 3,3 mm, head d 10 mm, for -U- rail, with protective wrap	polyacetal polyester	grey -	100 m x spool 400
97.x.05 ARS6860D60/01BA	G2 cord with button d 3,7 mm, spacing -P- 60 mm assembled with round revolving G2 glider, nucleus d 3,3 mm, head d 10 mm, for -U- rail, with protective wrap	polyacetal polyester	white -	100 m x spool 400
97.x.06 ARS6860D60/01NA	G2 cord with button d 3,7 mm, spacing -P- 60 mm assembled with round revolving G2 glider, nucleus d 3,3 mm, head d 10 mm, for -U- rail, with protective wrap	polyacetal polyester	black -	100 m x spool 400
97.x.07 ARS6860D60H01BA	G2 cord with button d 3,7 mm, spacing -P- 60 mm assembled with round revolving G2 glider, nucleus d 3,3 mm, head d 10 mm, for -U- rail, with protective wrap	polyacetal polyester	white -	50 m x spool 400
97.x.10 ARS6860D60M01BA	G2 cord with button d 3,7 mm, spacing -P- 60 mm assembled with round revolving G2 glider, nucleus d 3,3 mm, head d 10 mm, for -U- rail, with protective wrap	polyacetal polyester	white -	25 m x spool 400
97.x.11 ARS6860D80/01GL	G2 cord with button d 3,7 mm, spacing -P- 80 mm assembled with round revolving G2 glider, nucleus d 3,3 mm, head d 10 mm, for -U- rail, with protective wrap	polyacetal polyester	grey -	100 m x spool 400
97.x.12 ARS6860D80/01BA	G2 cord with button d 3,7 mm, spacing -P- 80 mm assembled with round revolving G2 glider, nucleus d 3,3 mm, head d 10 mm, for -U- rail, with protective wrap	polyacetal polyester	white -	100 m x spool 400
97.x.13 ARS6860D80/01NA	G2 cord with button d 3,7 mm, spacing -P- 80 mm assembled with round revolving G2 glider, nucleus d 3,3 mm, head d 10 mm, for -U- rail, with protective wrap	polyacetal polyester	black -	100 m x spool 400
97.x.14 ARS6860D80H01BA	G2 cord with button d 3,7 mm, spacing -P- 80 mm assembled with round revolving G2 glider, nucleus d 3,3 mm, head d 10 mm, for -U- rail, with protective wrap	polyacetal polyester	white -	50 m x spool 400
97.x.15 ARS6860D80M01BA	G2 cord with button d 3,7 mm, spacing -P- 80 mm assembled with round revolving G2 glider, nucleus d 3,3 mm, head d 10 mm, for -U- rail, with protective wrap	polyacetal polyester	white -	25 m x spool 400
		Special gross prices for big quantities: see details		

Position Article code	Description	Material	Color Finish	Packaging Outer pack
97.x.17 ARS6860D60/03BA	G2 cord with button d 3,7 mm, spacing -P- 60 mm assembled with round revolving G2 glider, nucleus d 3,3 mm, head d 5,3 mm, for -U- rail, with protective wrap	polyacetal polyester	white -	100 m x spool 400
97.x.19 ARS6860D60H03BA	G2 cord with button d 3,7 mm, spacing -P- 60 mm assembled with round revolving G2 glider, nucleus d 3,3 mm, head d 5,3 mm, for -U- rail, with protective wrap	polyacetal polyester	white -	50 m x spool 400
97.x.20 ARS6860D60M03BA	G2 cord with button d 3,7 mm, spacing -P- 60 mm assembled with round revolving G2 glider, nucleus d 3,3 mm, head d 5,3 mm, for -U- rail, with protective wrap	polyacetal polyester	white -	25 m x spool 400
97.x.22 ARS6860D80/03BA	G2 cord with button d 3,7 mm, spacing -P- 80 mm assembled with round revolving G2 glider, nucleus d 3,3 mm, head d 5,3 mm, for -U- rail, with protective wrap	polyacetal polyester	white -	100 m x spool 400
97.x.24 ARS6860D80H03BA	G2 cord with button d 3,7 mm, spacing -P- 80 mm assembled with round revolving G2 glider, nucleus d 3,3 mm, head d 5,3 mm, for -U- rail, with protective wrap	polyacetal polyester	white -	50 m x spool 400
97.x.25 ARS6860D80M03BA	G2 cord with button d 3,7 mm, spacing -P- 80 mm assembled with round revolving G2 glider, nucleus d 3,3 mm, head d 5,3 mm, for -U- rail, with protective wrap	polyacetal polyester	white -	25 m x spool 400
		Special gross prices for big quantities: see details		

Position Article code	Description	Material	Color Finish	Packaging Outer pack
97.x.40 ARS6860D80/00BA	G2 cord with button d 3,7 mm, spacing -P- 80 mm assembled with round revolving G2 glider, nucleus d 4 mm, head d 8 mm, for -U- rail, height 2,5 mm, with protective wrap	polyacetal polyester	white -	100 m x spool 400
		Special gross prices for big quantities: see details		

Position Article code	Description	Material	Color Finish	Packaging Outer pack
97.x.60 ARS6860E60M01BA	G2 cord with button d 3,7 mm, spacing -P- 60 mm assembled with G2 glider MOTO with wheels and rotating eyelet, for -U- rail, with protective wrap	polyacetal aluminium polyester	white -	25 m x spool 100
97.x.70 ARS6860E80M01BA	G2 cord with button d 3,7 mm, spacing -P- 80 mm assembled with G2 glider MOTO with wheels and rotating eyelet, for -U- rail, with protective wrap	polyacetal aluminium polyester	white -	25 m x spool 100

Position Article code	Description	Material	Color Finish	Packaging Outer pack
97.x.80 ARS6860F60H01BA	G2 cord with button d 3,7 mm, spacing -P- 60 mm assembled with round revolving G2 UP glider, nucleus d 5,3 mm, head d 10 mm, for -U- rail, with protective wrap	polyacetal polyester	white -	50 m x spool 400
97.x.82 ARS6860F60H01NA	G2 cord with button d 3,7 mm, spacing -P- 60 mm assembled with round revolving G2 UP glider, nucleus d 5,3 mm, head d 10 mm, for -U- rail, with protective wrap	polyacetal polyester	black -	50 m x spool 400
97.x.90 ARS6860F80H01BA	G2 cord with button d 3,7 mm, spacing -P- 80 mm assembled with round revolving G2 UP glider, nucleus d 5,3 mm, head d 10 mm, for -U- rail, with protective wrap	polyacetal polyester	white -	50 m x spool 400
97.x.92 ARS6860F80H01NA	G2 cord with button d 3,7 mm, spacing -P- 80 mm assembled with round revolving G2 UP glider, nucleus d 5,3 mm, head d 10 mm, for -U- rail, with protective wrap	polyacetal polyester	black -	50 m x spool 400
		Special gross prices for big quantities: see details		