

atp di F. Garzoni

I - 25074 LAVENONE - BS - ITALY

via del Tram, 8

P.Iva P.Iva IT00232730986

FAX +39 0365 823054

www.atp.it - info@atp.it

Update: 17-09-2019 06:12:56

articoli tecnici per l'industria e la casa

termoplastici e metalli

industrial and housing technical items

thermoplastic and metal



CATALOG - AR -

Accessories for curtains



Our online catalogue on www.atp.it is always up-to-date.

Index (in order of appearance in the catalog):

- Systems for WAVE effect


Minimum order = 1 bag/box

The measures and weights indicated in the catalogue are nominal values.

The descriptions between equals (= =) are special versions without immediate availability on stock.

Discard up to a 1% is to be considered normal.

Position Article code	Description	Material	Color Finish	Packaging Outer pack
97.n.35 ARS6860C60/00BA	Cord with glider G6, nucleus 3,2x4,5 mm, head d 5 mm, with longitudinal eyelet, spacing 60 mm, for -U- rail	polyacetal polyesters	white -	100 m x spool 1.000
97.n.40 ARS6860C60H00BA	Cord with glider G6, nucleus 3,2x4,5 mm, head d 5 mm, with longitudinal eyelet, spacing 60 mm, for -U- rail	polyacetal polyesters	white -	50 m x spool 1.000
97.n.41 ARS6860C60H01BA	Cord with glider G6, nucleus 3,2x4,5 mm, head d 5 mm, with longitudinal eyelet, spacing 60 mm, for -U- rail, with protective wrap	polyacetal polyesters	white -	50 m x spool 450
97.n.50 ARS6860C80/00BA	Cord with glider G6, nucleus 3,2x4,5 mm, head d 5 mm, with longitudinal eyelet, spacing 80 mm, for -U- rail	polyacetal polyesters	white -	100 m x spool 1.000
97.n.60 ARS6860C80H00BA	Cord with glider G6, nucleus 3,2x4,5 mm, head d 5 mm, with longitudinal eyelet, spacing 80 mm, for -U- rail	polyacetal polyesters	white -	50 m x spool 1.000
97.n.65 ARS6860C80H01BA	Cord with glider G6, nucleus 3,2x4,5 mm, head d 5 mm, with longitudinal eyelet, spacing 80 mm, for -U- rail, with protective wrap	polyacetal polyesters	white -	50 m x spool 450



Special gross prices for big quantities:
see details
To be combined with:
the wave start glider at pos.264.c