

atp di F. Garzoni

I - 25074 LAVENONE - BS - ITALY

via del Tram, 8

P.Iva P.Iva IT00232730986

FAX +39 0365 823054

www.atp.it - info@atp.it

Update: 04-08-2022 06:48:57

articoli tecnici per l'industria e la casa

termoplastici e metalli

industrial and housing technical items

thermoplastic and metal



CATALOG - MA - Accessories for handles



Our online catalogue on www.atp.it is always up-to-date.

Index (in order of appearance in the catalog):

- Bulged round roses and selvages 47,5 mm

Minimum order = 1 bag/box


The measures and weights indicated in the catalogue are nominal values.

The descriptions between equals (= =) are special versions without immediate availability on stock.

Discard up to a 1% is to be considered normal.


Accessories for handles / Bulged round roses and selvages 47,5 mm / roses

| Position Article code | Description | Material | Color Finish | Packaging Outer pack |
|-----------------------------|--|-----------------|--------------|----------------------|
| 370.a MTRT475000/0000 | Round rose d 47,5x11(0,8) mm bulged, hole d 22 mm | brass | - grezzo | 500 x box 500 |
| 370.a.01 MTRT475000/0100 | Round rose d 47,5x11(0,8) mm bulged, hole d 24 mm | brass | - grezzo | 500 x box 500 |
| 370.a.02 MTRT475000/0200 | Round selvage d 47,5x11(0,8) mm bulged, without hole | brass | - grezzo | 500 x box 500 |
| 370.b MLRT475000/0000 | Round rose d 47,5x11(0,8) mm bulged, hole d 22 mm | aluminium | - grezzo | 500 x box 500 |
| 370.b.01 MLRT475000/0100 | Round rose d 47,5x11(0,8) mm bulged, hole d 24 mm | aluminium | - grezzo | 500 x box 500 |
| 370.b.05 MLRT475000/0200 | Round rose d 47,5x11(0,8) mm bulged, hole d 16 mm | aluminium | - grezzo | 500 x box 500 |
| 370.c.02 MXRT475000/0000 | Round rose d 47,5x11(0,8) mm bulged, hole d 22 mm | stainless steel | - grezzo | 500 x box 500 |
| 370.c.05 MXRT475000/0100 | Round rose d 47,5x11(0,8) mm bulged, hole d 24 mm | stainless steel | - grezzo | 500 x box 500 |
| 370.c.20 MRRT475000/0000 | Round rose d 47,5x11(0,8) mm bulged, hole d 22 mm | iron | - grezzo | 500 x box 500 |




To be combined with:
bulged rosettes d 47,5x11
at pos.370.g.05 ,370.j.05 ,
370.m.05,370.q.05
from pos.371.a to pos.371.a.07
from pos.372.a.03 to pos.372.c.08
from pos.373.a to pos.373.c.07
from pos.374.a.02 to pos.374.c.07

| Position Article code | Description | Material | Color Finish | Packaging Outer pack |
|-----------------------------|---|--|--------------|----------------------|
| 370.g.05 MKRT475C16/0001 | Spring-loaded bulged rosette d 47,5x11 mm, screw head holes without nuts, hole d 16 mm, without neck, square 8 mm | polyamide polyacetal stainless steel | neutral - | 500 x box 500 |




Special gross prices for big quantities
To be combined with:
bulged rosettes d 47,5x11
from pos.370.a to pos.370.c.20
and with the gasket d 16x22x2
from pos.389.b to pos.389.g

| Position Article code | Description | Material | Color Finish | Packaging Outer pack |
|-----------------------------|--|--|--------------|----------------------|
| 370.j.05 MKRT475C16/0101 | Spring-loaded bulged rosette d 47,5x11 mm, screw head holes without nuts, hole d 16 mm, without neck, for milled lever | polyamide polyacetal stainless steel | neutral - | 500 x box 500 |




Special gross prices for big quantities
To be combined with:
bulged rosettes d 47,5x11
from pos.370.a to pos.370.c.20
and with the gasket d 16x22x2
from pos.389.b to pos.389.g

| Position Article code | Description | Material | Color Finish | Packaging Outer pack |
|-----------------------------|--|--|--------------|----------------------|
| 370.m.05 MKRT475C16/0201 | Spring-loaded bulged rosette d 47,5x11 mm, screw head holes with nuts, hole d 16 mm, without neck, square 8 mm | polyamide polyacetal stainless steel | neutral - | 500 x box 0 |




Special gross prices for big quantities
To be combined with:
bulged rosettes d 47,5x11
from pos.370.a to pos.370.c.20
and with the gasket d 16x22x2
from pos.389.b to pos.389.g

| Position Article code | Description | Material | Color Finish | Packaging Outer pack |
|-----------------------------|---|--|-----------------|-------------------------|
| 370.q.05 MKRT475C16/0301 | Spring-loaded bulged rosette d 47,5x11 mm, screw head holes with nuts, hole d 16 mm, without neck, for milled lever | polyamide polyacetal stainless steel | neutral - | 500 x box 0 |



Special gross prices for big quantities
To be combined with:
bulged rosettes d 47,5x11
from pos.370.a to pos.370.c.20
and with the gasket d 16x22x2
from pos.389.b to pos.389.g


| Position Article code | Description | Material | Color Finish | Packaging Outer pack |
|-----------------------------|---|-----------|-----------------|-------------------------|
| 371.a MKRT475A15/00NA | =Bulged rosette d 47,5x11 mm, screw head holes with nuts, hole -A- d 15 mm, without neck, for spring= | polyamide | black - | 500 x bag 500 |
| 371.a.01 MKRT475A15/01NA | =Bulged rosette d 47,5x11 mm, screw head holes with nuts, hole -A- d 15 mm, neck -B- d 21 mm, for spring= | polyamide | black - | 500 x bag 500 |
| 371.a.03 MKRT475A16/00NA | =Bulged rosette d 47,5x11 mm, screw head holes with nuts, hole -A- d 16 mm, without neck, for spring= | polyamide | black - | 500 x bag 500 |
| 371.a.06 MKRT475A18/00NA | =Bulged rosette d 47,5x11 mm, screw head holes with nuts, hole -A- d 18 mm, without neck, for spring= | polyamide | black - | 500 x bag 500 |
| 371.a.07 MKRT475A18/01NA | =Bulged rosette d 47,5x11 mm, screw head holes with nuts, hole -A- d 18 mm, neck -B- d 21 mm, for spring= | polyamide | black - | 500 x bag 500 |



Special gross price for big quantity
and == : see details
To be combined with:
rosettes d 47,5x11 bulged
from pos.370.a to pos.370.c.20
the torsion spring thickness 2,5
at pos.348.b
the cam washers pos.349.a or 351.a
the circlip d 15 at pos.352.a
or the right-left spring d 33
at pos.346.d and pos.346.h


| Position Article code | Description | Material | Color Finish | Packaging Outer pack |
|-----------------------------|--|--|-----------------|----------------------|
| 372.a.03 MKRT475A16/03NA | Bulged rosette d 47,5x11 mm, screw head holes without nuts, hole -A- d 16 mm, without neck, for spring | polyamide | black - | 500 x bag 500 |
| 372.a.04 MKRT475A16/04NA | Bulged rosette d 47,5x11 mm, screw head holes without nuts, hole -A- d 16 mm, neck -B- d 21 mm, for spring | polyamide | black - | 500 x bag 500 |
| 372.a.05 MKRT475A16/05NA | Bulged rosette d 47,5x11 mm, screw head holes without nuts, hole -A- d 16 mm, neck -B- d 24 mm, for spring | polyamide | black - | 500 x bag 500 |
| 372.a.06 MKRT475A18/03NA | =Bulged rosette d 47,5x11 mm, screw head holes without nuts, hole -A- d 18 mm, without neck, for spring= | polyamide | black - | 500 x bag 500 |
| 372.a.07 MKRT475A18/04NA | =Bulged rosette d 47,5x11 mm, screw head holes without nuts, hole -A- d 18 mm, neck -B- d 21 mm, for spring= | polyamide | black - | 500 x bag 500 |
| 372.b.02 MKRT475A15/05OC | =Bulged rosette d 47,5x11 mm, screw head holes without nuts, hole -A- d 15 mm, neck -B- d 24 mm, for spring= | polyamide | light gold - | 500 x bag 500 |
| 372.b.03 MKRT475A16/03OC | =Bulged rosette d 47,5x11 mm, screw head holes without nuts, hole -A- d 16 mm, without neck, for spring= | polyamide | light gold - | 500 x bag 500 |
| 372.b.04 MKRT475A16/04OC | =Bulged rosette d 47,5x11 mm, screw head holes without nuts, hole -A- d 16 mm, neck -B- d 21 mm, for spring= | polyamide | light gold - | 500 x bag 500 |
| 372.b.05 MKRT475A16/05OC | =Bulged rosette d 47,5x11 mm, screw head holes without nuts, hole -A- d 16 mm, neck -B- d 24 mm, for spring= | polyamide | light gold - | 500 x bag 500 |
| 372.c.06 MKRT475A18/03AG | =Bulged rosette d 47,5x11 mm, screw head holes without nuts, hole -A- d 18 mm, without neck, for spring= | polyamide | silver - | 500 x bag 500 |
| 372.c.08 MKRT475A18/05AG | =Bulged rosette d 47,5x11 mm, screw head holes without nuts, hole -A- d 18 mm, neck -B- d 24 mm, for spring= | polyamide | silver - | 500 x bag 500 |
| 372.d.05 MKRT475A16/0401 | =Bulged rosette d 47,5x11 mm, screw head holes without nuts, hole -A- d 16 mm, neck -B- d 21 mm, for spring= | polyamide | neutral - | 500 x bag 500 |
| | | <p>Special gross price for big quantity and == : see details To be combined with: rosettes d 47,5x11 bulged from pos.370.a to pos.370.c.20 the torsion spring thickness 2,5 at pos.348.b the cam washers pos.349.a or 351.a the circlip d 15 at pos.352.a or the right-left spring d 33 at pos.346.d and pos.346.h</p> | | |

| Position Article code | Description | Material | Color Finish | Packaging Outer pack |
|-----------------------------|---|-----------|--------------|----------------------|
| 373.a MKRT475A15/09NA | =Bulged rosette d 47,5x11 mm, self-tapping screw holes with nuts, hole -A- d 15 mm, without neck, for spring= | polyamide | black - | 500 x bag 500 |
| 373.a.04 MKRT475A16/10NA | =Bulged rosette d 47,5x11 mm, self-tapping screw holes with nuts, hole -A- d 16 mm, neck -B- d 21 mm, for spring= | polyamide | black - | 500 x bag 500 |
| 373.c.06 MKRT475A18/09AG | =Bulged rosette d 47,5x11 mm, self-tapping screw holes with nuts, hole -A- d 18 mm, without neck, for spring= | polyamide | silver - | 500 x bag 500 |
| 373.c.07 MKRT475A18/10AG | =Bulged rosette d 47,5x11 mm, self-tapping screw holes with nuts, hole -A- d 18 mm, neck -B- d 21 mm, for spring= | polyamide | silver - | 500 x bag 500 |



Special gross price for big quantity and == : see details
To be combined with:
rosettes d 47,5x11 bulged from pos.370.a to pos.370.c.20 the torsion spring thickness 2,5 at pos.348.b
the cam washers pos.349.a or 351.a
the circlip d 15 at pos.352.a or the right-left spring d 33 at pos.346.d and pos.346.h

| Position Article code | Description | Material | Color Finish | Packaging Outer pack |
|-----------------------------|--|-----------|-----------------|----------------------|
| 374.a.02 MKRT475A15/08NA | =Bulged rosette d 47,5x11 mm, screw head hole and self-tapping screw hole with nuts, hole -A- d 15 mm, neck -B- d 24 mm, for spring= | polyamide | black - | 500 x bag 500 |
| 374.a.04 MKRT475A16/07NA | =Bulged rosette d 47,5x11 mm, screw head hole and self-tapping screw hole with nuts, hole -A- d 16 mm, neck -B- d 21 mm, for spring= | polyamide | black - | 500 x bag 500 |
| 374.a.08 MKRT475A18/08NA | =Bulged rosette d 47,5x11 mm, screw head hole and self-tapping screw hole with nuts, hole -A- d 18 mm, neck -B- d 24 mm, for spring= | polyamide | black - | 500 x bag 500 |
| 374.b MKRT475A15/06OC | =Bulged rosette d 47,5x11 mm, screw head hole and self-tapping screw hole with nuts, hole -A- d 15 mm, without neck, for spring= | polyamide | light gold - | 500 x bag 500 |
| 374.b.01 MKRT475A15/07OC | =Bulged rosette d 47,5x11 mm, screw head hole and self-tapping screw hole with nuts, hole -A- d 15 mm, neck -B- d 21 mm, for spring= | polyamide | light gold - | 500 x bag 500 |
| 374.c.07 MKRT475A18/07AG | =Bulged rosette d 47,5x11 mm, screw head hole and self-tapping screw hole with nuts, hole -A- d 18 mm, neck -B- d 21 mm, for spring= | polyamide | silver - | 500 x bag 500 |



Special gross price for big quantity and == : see details
To be combined with:
rosettes d 47,5x11 bulged from pos.370.a to pos.370.c.20 the torsion spring thickness 2,5 at pos.348.b
the cam washers pos.349.a or 351.a
the circlip d 15 at pos.352.a or the right-left spring d 33 at pos.346.d and pos.346.h