

atp di F. Garzoni

I - 25074 LAVENONE - BS - ITALY

via del Tram, 8

P.Iva P.Iva IT00232730986

FAX +39 0365 823054

www.atp.it - info@atp.it

Update: 04-08-2022 06:49:21

articoli tecnici per l'industria e la casa
termoplastici e metalli
industrial and housing technical items
thermoplastic and metal



CATALOG - MA - Accessories for handles



Our online catalogue on www.atp.it is always up-to-date.

Index (in order of appearance in the catalog):

- Round roses and selvages 52x10 mm


Minimum order = 1 bag/box

The measures and weights indicated in the catalogue are nominal values.


The descriptions between equals (= =) are special versions without immediate availability on stock.


Discard up to a 1% is to be considered normal.

Accessories for handles / Round roses and selvages 52x10 mm / selvages


Position Article code	Description	Material	Color Finish	Packaging Outer pack
242.a MTBT5200V0/0000	Key rosette d 52x10(0,8) mm, OB hole (oval) 9x23 mm	brass	- grezzo	500 x box 500
243.a MLBT5200V0/0000	Key rosette d 52x10(1,0) mm, OB hole (oval) 9x23 mm	aluminium	- grezzo	500 x box 500
244.a MXBT5200V0/0000	Key rosette d 52x10(0,8) mm, OB hole (oval) 9x23 mm	stainless steel	- grezzo	500 x box 500
		To be combined with: the key rosettes d 52x10 OB hole from pos.248.a to pos.249.a from pos.250.a to pos.251.a from pos.252.a to pos.253.a from pos.254.a to pos.255.a from pos.256.a to pos.257.a		

Position Article code	Description	Material	Color Finish	Packaging Outer pack
245.a MTBT5200T0/0000	Key rosette d 52x10(0,8) mm, BB hole (german)	brass	- grezzo	500 x box 500
246.a MLBT5200T0/0000	Key rosette d 52x10(1,0) mm, BB hole (german)	aluminium	- grezzo	500 x box 500
247.a MXBT5200T0/0000	Key rosette d 52x10(0,8) mm, BB hole (german)	stainless steel	- grezzo	500 x box 500
		To be combined with: the key rosettes d 52x10 OB hole from pos.248.a to pos.249.a from pos.250.a to pos.251.a from pos.252.a to pos.253.a from pos.254.a to pos.255.a from pos.256.a to pos.257.a		

Position Article code	Description	Material	Color Finish	Packaging Outer pack
248.a MKBT5200V0/0001	=Key rosette d 52x10 mm, screw head holes without nuts, OB hole (oval) 10,5x24 mm=	polyamide	neutral -	500 x bag 500
249.a MKBT5200V0/00NA	Key rosette d 52x10 mm, screw head holes without nuts, OB hole (oval) 10,5x24 mm	polyamide	black -	500 x bag 500
		== : see details To be combined with: the key rosettes d 52x10 OB and BB hole from pos.242.a to pos.244.a from pos.245.a to pos.247.a		


Position Article code	Description	Material	Color Finish	Packaging Outer pack
250.a MKBT5200V0/0101	=Key rosette d 52x10 mm, self-tapping screw holes without nuts, OB hole (oval) 10,5x24 mm=	polyamide	neutral -	500 x bag 500
251.a MKBT5200V0/01NA	=Key rosette d 52x10 mm, self-tapping screw holes without nuts, OB hole (oval) 10,5x24 mm=	polyamide	black -	500 x bag 500
		== : see details To be combined with: the key rosettes d 52x10 OB and BB hole from pos.242.a to pos.244.a from pos.245.a to pos.247.a		

Position Article code	Description	Material	Color Finish	Packaging Outer pack
252.a MKBT5200V0/0201	=Key rosette d 52x10 mm, screw head holes with nuts, OB hole (oval) 10,5x24 mm=	polyamide	neutral -	500 x bag 500
252.b MKBT5200V0/02AG	=Key rosette d 52x10 mm, screw head holes with nuts, OB hole (oval) 10,5x24 mm=	polyamide	silver -	500 x bag 500
253.a MKBT5200V0/02NA	Key rosette d 52x10 mm, screw head holes with nuts, OB hole (oval) 10,5x24 mm	polyamide	black -	500 x bag 500




== : see details
To be combined with:
the key rosettes d 52x10
OB and BB hole
from pos.242.a to pos.244.a
from pos.245.a to pos.247.a

Position Article code	Description	Material	Color Finish	Packaging Outer pack
254.a MKBT5200V0/0301	=Key rosette d 52x10 mm, self-tapping screw holes with nuts, OB hole (oval) 10,5x24 mm=	polyamide	neutral -	500 x bag 500
254.b MKBT5200V0/03AG	=Key rosette d 52x10 mm, self-tapping screw holes with nuts, OB hole (oval) 10,5x24 mm=	polyamide	silver -	500 x bag 500
255.a MKBT5200V0/03NA	=Key rosette d 52x10 mm, self-tapping screw holes with nuts, OB hole (oval) 10,5x24 mm=	polyamide	black -	500 x bag 500




== : see details
To be combined with:
the key rosettes d 52x10
OB and BB hole
from pos.242.a to pos.244.a
from pos.245.a to pos.247.a

Position Article code	Description	Material	Color Finish	Packaging Outer pack
256.a MKBT5200V0/0401	=Key rosette d 52x10 mm, screw head hole and self-tapping screw hole with nuts, OB hole (oval) 10,5x24 mm=	polyamide	neutral -	500 x bag 500
257.a MKBT5200V0/04NA	Key rosette d 52x10 mm, screw head hole and self-tapping screw hole with nuts, OB hole (oval) 10,5x24 mm	polyamide	black -	500 x bag 15.000





== : see details
To be combined with:
the key rosettes d 52x10
OB and BB hole
from pos.242.a to pos.244.a
from pos.245.a to pos.247.a


Position Article code	Description	Material	Color Finish	Packaging Outer pack
258.a MTBT5200Y0/0000	Key rosette d 52x10(0,8) mm, PZ hole (yale)	brass	- grezzo	500 x box 500
259.a MLBT5200Y0/0000	Key rosette d 52x10(1,0) mm, PZ hole (yale)	aluminium	- grezzo	500 x box 500
260.a MXBT5200Y0/0000	Key rosette d 52x10(0,8) mm, PZ hole (yale)	stainless steel	- grezzo	500 x box 500




To be combined with:
the key rosettes d 52x10 PZ hole
from pos.261.a to pos.262.f
from pos.263.a to pos.264.a
from pos.265.a to pos.266.c
from pos.267.a to pos.268.a
from pos.269.a to pos.270.a


Position Article code	Description	Material	Color Finish	Packaging Outer pack
260.a.50 MXBT5200D0/0000	Key rosette d 52x10(0,8) mm, KK hole d 18 mm	stainless steel	- grezzo	500 x box 500
		To be combined with: the key rosettes d 52x10 PZ hole from pos.261.a to pos.262.f from pos.263.a to pos.264.a from pos.265.a to pos.266.c from pos.267.a to pos.268.a from pos.269.a to pos.270.a		

Position Article code	Description	Material	Color Finish	Packaging Outer pack
261.a MKBT5200Y0/0001	=Key rosette d 52x10 mm, screw head holes without nuts, PZ hole (yale)=	polyamide	neutral -	500 x bag 500
262.a MKBT5200Y0/00NA	Key rosette d 52x10 mm, screw head holes without nuts, PZ hole (yale)	polyamide	black -	500 x bag 500
262.f MKBT5200Y0/00AG	=Key rosette d 52x10 mm, screw head holes without nuts, PZ hole (yale)=	polyamide	silver -	500 x bag 500
		== : see details To be combined with: the key rosettes d 52x10 PZ hole from pos.258.a to pos.260.a.50		

Position Article code	Description	Material	Color Finish	Packaging Outer pack
263.a MKBT5200Y0/0101	=Key rosette d 52x10 mm, self-tapping screw holes without nuts, PZ hole (yale)=	polyamide	neutral -	500 x bag 500
264.a MKBT5200Y0/01NA	=Key rosette d 52x10 mm, self-tapping screw holes without nuts, PZ hole (yale)=	polyamide	black -	500 x bag 500
		== : see details To be combined with: the key rosettes d 52x10 PZ hole from pos.258.a to pos.260.a.50		


Position Article code	Description	Material	Color Finish	Packaging Outer pack
265.a MKBT5200Y0/0201	=Key rosette d 52x10 mm, screw head holes with nuts, PZ hole (yale)=	polyamide	neutral -	500 x bag 500
266.a MKBT5200Y0/02NA	=Key rosette d 52x10 mm, screw head holes with nuts, PZ hole (yale)=	polyamide	black -	500 x bag 500
266.c MKBT5200Y0/02AG	=Key rosette d 52x10 mm, screw head holes with nuts, PZ hole (yale)=	polyamide	silver -	500 x bag 500
		== : see details To be combined with: the key rosettes d 52x10 PZ hole from pos.258.a to pos.260.a.50		

Position Article code	Description	Material	Color Finish	Packaging Outer pack
267.a MKBT5200Y0/0301	=Key rosette d 52x10 mm, self-tapping screw holes with nuts, PZ hole (yale)=	polyamide	neutral -	500 x bag 500
267.b MKBT5200Y0/03AG	=Key rosette d 52x10 mm, self-tapping screw holes with nuts, PZ hole (yale)=	polyamide	silver -	500 x bag 500
268.a MKBT5200Y0/03NA	=Key rosette d 52x10 mm, self-tapping screw holes with nuts, PZ hole (yale)=	polyamide	black -	500 x bag 500




== : see details
To be combined with:
the key rosettes d 52x10 PZ hole
from pos.258.a to pos.260.a.50

Position Article code	Description	Material	Color Finish	Packaging Outer pack
269.a MKBT5200Y0/0401	=Key rosette d 52x10 mm, screw head hole and self-tapping screw hole with nuts, PZ hole (yale)=	polyamide	neutral -	500 x bag 500
270.a MKBT5200Y0/04NA	Key rosette d 52x10 mm, screw head hole and self-tapping screw hole with nuts, PZ hole (yale)	polyamide	black -	500 x bag 15.000




== : see details
To be combined with:
the key rosettes d 52x10 PZ hole
from pos.258.a to pos.260.a.50

Position Article code	Description	Material	Color Finish	Packaging Outer pack
270.e MKBT5200U0/0001	=Key rosette d 52x10 mm, screw head holes without nuts, OZ hole (oval cylinder) 18x32 mm=	polyamide	neutral -	500 x bag 500
270.f MKBT5200U0/00NA	=Key rosette d 52x10 mm, screw head holes without nuts, OZ hole (oval cylinder) 18x32 mm=	polyamide	black -	500 x bag 500




== : see details

Position Article code	Description	Material	Color Finish	Packaging Outer pack
270.g MKBT5200U0/0101	=Key rosette d 52x10 mm, self-tapping screw holes without nuts, OZ hole (oval cylinder) 18x32 mm=	polyamide	neutral -	500 x bag 500





== : see details

Position Article code	Description	Material	Color Finish	Packaging Outer pack
270.i MKBT5200U0/0201	=Key rosette d 52x10 mm, screw head holes with nuts, OZ hole (oval cylinder) 18x32 mm=	polyamide	neutral -	500 x bag 500




== : see details

Position Article code	Description	Material	Color Finish	Packaging Outer pack
270.m MKBT5200U0/0301	=Key rosette d 52x10 mm, self-tapping screw holes with nuts, OZ hole (oval cylinder) 18x32 mm=	polyamide	neutral -	500 x bag 500
		== : see details		

Position Article code	Description	Material	Color Finish	Packaging Outer pack
270.o MKBT5200U0/0401	=Key rosette d 52x10 mm, screw head hole and self-tapping screw hole with nuts, OZ hole (oval cylinder) 18x32 mm=	polyamide	neutral -	500 x bag 500
		== : see details		

Position Article code	Description	Material	Color Finish	Packaging Outer pack
271.a MTBT5200W0/0000	Rosette d 52x10(0,8) mm, WC hole (free-engaged handwheel)	brass	- grezzo	500 x box 500
272.a MLBT5200W0/0000	Rosette d 52x10(1,0) mm, WC hole (free-engaged handwheel)	aluminium	- grezzo	500 x box 500
273.a MXBT5200W0/0000	Rosette d 52x10(0,8) mm, WC hole (free-engaged handwheel)	stainless steel	- grezzo	500 x box 500
		To be combined with: key rosettes d 52x10 with free/engaged handwheel from pos.274.a to pos.274.f, at pos.274.o and pos.275.d from pos.276.c to pos.276.f from pos.277.e to pos.277.f from pos.278.a to pos.278.f		

Position Article code	Description	Material	Color Finish	Packaging Outer pack
274.a MKBT5200W0/00NA	=Rosette d 52x10 mm, screw head holes without nuts, with free-engaged handwheel square 4 mm, height 12 mm=	polyamide polystyrene	black -	250 x box 250
274.b MKBT5200W0/01NA	=Rosette d 52x10 mm, screw head holes without nuts, with free-engaged handwheel square 4,5 mm, height 12 mm=	polyamide polystyrene	black -	250 x box 500
274.d MKBT5200W0/03NA	Rosette d 52x10 mm, screw head holes without nuts, with free-engaged handwheel square 6 mm, height 12 mm	polyamide polystyrene	black -	250 x box 250
274.e MKBT5200W0/04NA	Rosette d 52x10 mm, screw head holes without nuts, with free-engaged handwheel square 7 mm, height 12 mm	polyamide polystyrene	black -	250 x box 250
274.f MKBT5200W0/05NA	Rosette d 52x10 mm, screw head holes without nuts, with free-engaged handwheel square 8 mm, height 12 mm	polyamide polystyrene	black -	250 x box 250
		== : see details To be combined with: the key rosettes d 52x10 WC hole from pos.271.a to pos.273.a the key rosettes d 52x10 FB hole at pos.278.l		


Position Article code	Description	Material	Color Finish	Packaging Outer pack
274.o MKBT5200W0/35NA	Rosette d 52x10 mm, screw head holes without nuts, with free-engaged handwheel square 6 mm, height 7 mm	polyamide polystyrene	black -	250 x box 500
		To be combined with: the key rosettes d 52x10 WC hole from pos.271.a to pos.273.a the key rosettes d 52x10 FB hole at pos.278.l		

Position Article code	Description	Material	Color Finish	Packaging Outer pack
275.d MKBT5200W0/10NA	Rosette d 52x10 mm, self-tapping screw holes without nuts, with free-engaged handwheel square 6 mm, height 12 mm	polyamide polystyrene	black -	250 x box 250
		To be combined with: the key rosettes d 52x10 WC hole from pos.271.a to pos.273.a the key rosettes d 52x10 FB hole at pos.278.l		

Position Article code	Description	Material	Color Finish	Packaging Outer pack
276.c MKBT5200W0/16NA	=Rosette d 52x10 mm, screw head holes with nuts, with free-engaged handwheel square 5 mm, height 12 mm=	polyamide polystyrene	black -	250 x box 250
276.d MKBT5200W0/17NA	Rosette d 52x10 mm, screw head holes with nuts, with free-engaged handwheel square 6 mm, height 12 mm	polyamide polystyrene	black -	250 x box 250
276.f MKBT5200W0/19NA	Rosette d 52x10 mm, screw head holes with nuts, with free-engaged handwheel square 8 mm, height 12 mm	polyamide polystyrene	black -	250 x box 250
		== : see details To be combined with: the key rosettes d 52x10 WC hole from pos.271.a to pos.273.a the key rosettes d 52x10 FB hole at pos.278.l		

Position Article code	Description	Material	Color Finish	Packaging Outer pack
277.e MKBT5200W0/25NA	Rosette d 52x10 mm, self-tapping screw holes with nuts, with free-engaged handwheel square 7 mm, height 12 mm	polyamide polystyrene	black -	250 x box 250
277.f MKBT5200W0/26NA	Rosette d 52x10 mm, self-tapping screw holes with nuts, with free-engaged handwheel square 8 mm, height 12 mm	polyamide polystyrene	black -	250 x box 250
		To be combined with: the key rosettes d 52x10 WC hole from pos.271.a to pos.273.a the key rosettes d 52x10 FB hole at pos.278.l		

Position Article code	Description	Material	Color Finish	Packaging Outer pack
278.a MKBT5200W0/28NA	=Rosette d 52x10 mm, screw head hole and self-tapping screw hole with nuts, with free-engaged handwheel square 4 mm, height 12 mm=	polyamide polystyrene	black -	250 x box 250
278.d MKBT5200W0/31NA	Rosette d 52x10 mm, screw head hole and self-tapping screw hole with nuts, with free-engaged handwheel square 6 mm, height 12 mm	polyamide polystyrene	black -	250 x box 250
278.e MKBT5200W0/32NA	Rosette d 52x10 mm, screw head hole and self-tapping screw hole with nuts, with free-engaged handwheel square 7 mm, height 12 mm	polyamide polystyrene	black -	250 x box 250
278.f MKBT5200W0/33NA	Rosette d 52x10 mm, screw head hole and self-tapping screw hole with nuts, with free-engaged handwheel square 8 mm, height 12 mm	polyamide polystyrene	black -	250 x box 250



== : see details
To be combined with:
the key rosettes d 52x10 WC hole from pos.271.a to pos.273.a
the key rosettes d 52x10 FB hole at pos.278.l

Position Article code	Description	Material	Color Finish	Packaging Outer pack
278.l MXBT5200W0/0100	Rosette d 52x10(0,8) mm, FB hole (free-engaged handwheel)	stainless steel	- grezzo	500 x box 250




To be combined with:
key rosettes d 52x10 with free/engaged handwheel from pos.274.a to pos.274.f, at pos.274.o and pos.275.d from pos.276.c to pos.276.f from pos.277.e to pos.277.f from pos.278.a to pos.278.f

Position Article code	Description	Material	Color Finish	Packaging Outer pack
278.n MKBT5200K0/00NA	=Key rosette d 52x10 mm, screw head holes without nuts, KK hole (kaba) d 22 mm=	polyamide	black -	500 x bag 500




== : see details
To be combined with:
the rosettes d 52x10 from pos.191.a ,192.a and 193.a

Position Article code	Description	Material	Color Finish	Packaging Outer pack
278.q MKBT5200K0/0201	=Key rosette d 52x10 mm, screw head holes with nuts, KK hole (kaba) d 22 mm=	polyamide	neutral -	500 x bag 500




== : see details
To be combined with:
the rosettes d 52x10 from pos.191.a ,192.a and 193.a

Position Article code	Description	Material	Color Finish	Packaging Outer pack
278.s MKBT5200K0/0301	=Key rosette d 52x10 mm, self-tapping screw holes with nuts, KK hole (kaba) d 22 mm=	polyamide	neutral -	500 x bag 500



== : see details
To be combined with:
the rosettes d 52x10 from pos.191.a ,192.a and 193.a

Position Article code	Description	Material	Color Finish	Packaging Outer pack
278.v MKBT5200K0/04NA	=Key rosette d 52x10 mm, screw head hole and self-tapping screw hole with nuts, KK hole (kaba) d 22 mm=	polyamide	black -	500 x bag 500
		== : see details To be combined with: the rosettes d 52x10 from pos. 191.a , 192.a and 193.a		