

atp di F. Garzoni

I - 25074 LAVENONE - BS - ITALY

via del Tram, 8

P.Iva P.Iva IT00232730986

FAX +39 0365 823054

www.atp.it - info@atp.it

Update: 05-09-2019 05:59:23

articoli tecnici per l'industria e la casa

termoplastici e metalli

industrial and housing technical items

thermoplastic and metal



CATALOG - MA - Accessories for handles



Our online catalogue on www.atp.it is always up-to-date.

Index (in order of appearance in the catalog):

- Oval roses and selvages

Minimum order = 1 bag/box


The measures and weights indicated in the catalogue are nominal values.

The descriptions between equals (= =) are special versions without immediate availability on stock.

Discard up to a 1% is to be considered normal.


Accessories for handles / Oval roses and selvages / 30x60

Position Article code	Description	Material	Color Finish	Packaging Outer pack
279.a MTRV306000/0000	Oval rosette 30x60x10(0,8) mm, hole d 22 mm	brass	- grezzo	500 x box 500
279.b MTRV306000/0100	Oval rosette 30x60x10(0,8) mm, hole d 24 mm	brass	- grezzo	500 x box 500
279.c MTRV306000/0200	Oval rosette 30x60x10(0,8) mm, without hole	brass	- grezzo	500 x box 500
279.d MTRV306000/0300	Oval rosette 30x60x10(0,8) mm, hole d 16 mm	brass	- grezzo	500 x box 500
280.a MLRV306000/0000	Oval rosette 30x60x10(1,0) mm, hole d 22 mm	aluminium	- grezzo	500 x box 500
280.b MLRV306000/0100	Oval rosette 30x60x10(1,0) mm, hole d 24 mm	aluminium	- grezzo	500 x box 250
280.c MLRV306000/0200	Oval rosette 30x60x10(1,0) mm, without hole	aluminium	- grezzo	500 x box 500
280.m MRRV306000/0000	Oval rosette 30x60x10(0,8) mm, hole d 22 mm	iron	- grezzo	500 x box 500
281.a MXRV306000/0000	Oval rosette 30x60x10(0,8) mm, hole d 22 mm	stainless steel	- grezzo	500 x box 500
281.b MXRV306000/0100	Oval rosette 30x60x10(0,8) mm, hole d 24 mm	stainless steel	- grezzo	500 x box 500
281.c MXRV306000/0200	Oval rosette 30x60x10(0,8) mm, without hole	stainless steel	- grezzo	500 x box 500




To be combined with:
the oval rosettes 30x60 with spring
from pos.284.i to pos.284.o.20,
from pos.284.q to pos.284.u.05,
the oval rosettes 30x60 for spring
from pos.285.a to pos.285.i,
the oval rosettes 30x60
with 4 positions
from pos.281.q to pos.283.i.09
and the oval rosettes 30x60
with 8 positions
from pos.284.c.01 to pos.284.c.70,
from pos.284.c.13 to pos.284.d.04
and the oval rosettes 30x60 4 positions
for clip-on fixation of the handle
on pos.284.e.10 and pos.284.f.10

Position Article code	Description	Material	Color Finish	Packaging Outer pack
284.i MKRV306C16/00NA	Spring-loaded oval rosette 30x60 mm, hole -A- d 16 mm neck -B- d 21 mm, square 7 mm	polyamide polyacetal stainless steel	black -	500 x box 500
284.m MKRV306C16/01NA	Spring-loaded oval rosette 30x60 mm, hole -A- d 16 mm, neck -B- d 21 mm, square 8 mm	polyamide polyacetal stainless steel	black -	500 x box 500
284.n MKRV306C16/03NA	Spring-loaded oval rosette 30x60 mm, hole -A- d 16 mm, without neck, square 8 mm	polyamide polyacetal stainless steel	black -	500 x box 500
284.o.10 MKRV306C16/0101	Spring-loaded oval rosette 30x60 mm, hole -A- d 16 mm, neck -B- d 21 mm, square 8 mm	polyamide polyacetal stainless steel	neutral -	500 x box 500




Special gross prices for big quantities
and == : see details
To be combined with:
the oval rosettes 30x60x10
from pos.279.a to pos.381.c
and the rectangular rosettes 30x60x9,5
from pos.285.m.20 to pos.285.m.42

Position Article code	Description	Material	Color Finish	Packaging Outer pack
284.q MKRV306C15/0001	=Spring-loaded oval rosette 30x60 mm, hole -A- d 15 mm, neck -B- d 21 mm, for milled lever=	polyamide polyacetal stainless steel	neutral - -	500 x box 500
284.q.15 MKRV306C15/00AG	=Spring-loaded oval rosette 30x60 mm, hole -A- d 15 mm, neck -B- d 21 mm, for milled lever=	polyamide polyacetal stainless steel	silver - -	500 x box 500
284.r MKRV306C16/02NA	Spring-loaded oval rosette 30x60 mm, hole -A- d 16 mm, neck -B- d 21 mm, for milled lever	polyamide polyacetal stainless steel	black - -	500 x box 500
284.s MKRV306C16/0201	Spring-loaded oval rosette 30x60 mm, hole -A- d 16 mm, neck -B- d 21 mm, for milled lever	polyamide polyacetal stainless steel	neutral - -	500 x box 500
284.u.05 MKRV306C16/04NA	Spring-loaded oval rosette 30x60 mm, hole -A- d 16 mm, without neck, for milled lever	polyamide polyacetal stainless steel	black - -	500 x box 500




Special gross prices for big quantities and == : see details
To be combined with:
the oval rosettes 30x60x10 from pos.279.a to pos.381.c and the rectangular rosettes 30x60x9,5 from pos.285.m.20 to pos.285.m.42
To center the rosette on the square spindle: use the centralizer at pos.352.z

Position Article code	Description	Material	Color Finish	Packaging Outer pack
284.u.50 MKRV306B16/00NA	Oval rosette 30x60 mm, hole -A- d 16 mm, neck -B- d 21 mm, without spring, for milled lever	polyamide polyacetal	black -	500 x box 500




Special gross prices for big quantities: see details
To be combined with:
the oval rosettes 30x60x10 from pos.279.a to pos.381.c and the rectangular rosettes 30x60x9,5 from pos.285.m.20 to pos.285.m.42
To center the rosette on the square spindle: use the centralizer at pos.352.z

Position Article code	Description	Material	Color Finish	Packaging Outer pack
285.a MKRV306A16/00NA	=Oval rosette 30x60 mm, hole -A- d 16 mm, without neck, for spring=	polyamide	black -	500 x bag 500
285.b MKRV306A15/00NA	=Oval rosette 30x60 mm, hole -A- d 15 mm, neck -B- d 21 mm, for spring=	polyamide	black -	500 x bag 500
285.c MKRV306A16/01NA	Oval rosette 30x60 mm, hole -A- d 16 mm, neck -B- d 21 mm, for spring	polyamide	black -	500 x bag 500
285.d MKRV306A18/00NA	=Oval rosette 30x60 mm, hole -A- d 18 mm, neck -B- d 21 mm, for spring=	polyamide	black -	500 x bag 500
285.e MKRV306A15/01NA	=Oval rosette 30x60 mm, hole -A- d 15 mm, neck -B- d 24 mm, for spring=	polyamide	black -	500 x bag 500
285.f MKRV306A16/02NA	Oval rosette 30x60 mm, hole -A- d 16 mm, neck -B- d 24 mm, for spring	polyamide	black -	500 x bag 500
285.g MKRV306A18/01NA	Oval rosette 30x60 mm, hole -A- d 18 mm, neck -B- d 24 mm, for spring	polyamide	black -	500 x bag 500
285.i MKRV306A16/01OC	=Oval rosette 30x60 mm, hole -A- d 16 mm, neck -B- d 21 mm, for spring=	polyamide	light gold -	500 x bag 500



== : see details
To be combined with:
the oval rosettes 30x60x10 from pos.279.a to pos.381.c and the rectangular rosettes 30x60x9,5 from pos.285.m.20 to pos.285.m.42
the torsion spring thickness 1,8 at pos.348.a
the cam washer pos.350.a
the circlip d 15 at pos.352.a

Position Article code	Description	Material	Color Finish	Packaging Outer pack
286.a MTBV3060V0/0000	Oval key rosette 30x60x10(0,8) mm, OB hole (oval) 7,5x20 mm	brass	- grezzo	500 x box 500
287.a MLBV3060V0/0000	Oval key rosette 30x60x10(1,0) mm, OB hole (oval) 7,5x20 mm	aluminium	- grezzo	500 x box 500
288.a MXBV3060V0/0000	Oval key rosette 30x60x10(0,8) mm, OB hole (oval) 7,5x20 mm	stainless steel	- grezzo	500 x box 500




To be combined with:
the oval key rosettes 30x60 OB hole
from pos.289.a to pos.289.f

Position Article code	Description	Material	Color Finish	Packaging Outer pack
289.a MKBV3060V0/00NA	Oval key rosette 30x60 mm, OB hole (oval) 7,5x20 mm	polyamide	black -	500 x bag 500
289.b MKBV3060V0/00AG	=Oval key rosette 30x60 mm, OB hole (oval) 7,5x20 mm=	polyamide	silver -	500 x bag 500
289.f MKBV3060V0/0001	=Oval key rosette 30x60 mm, OB hole (oval) 7,5x20 mm=	polyamide	neutral -	500 x bag 500




== : see details
To be combined with:
the oval key rosettes 30x60x10 OB hole
from pos.286.a to pos.288.a
and the rectangular key rosettes
30x60x9,5 OB hole
from pos.301.a.21 to pos.301.a.23

Position Article code	Description	Material	Color Finish	Packaging Outer pack
290.a MTBV3060V0/0100	Oval key rosette 30x60x10(0,8) mm, OB hole (oval) 14x28 mm	brass	- grezzo	500 x box 500
291.a MLBV3060V0/0100	Oval key rosette 30x60x10(1,0) mm, OB hole (oval) 14x28 mm	aluminium	- grezzo	500 x box 500
292.a MXBV3060V0/0100	Oval key rosette 30x60x10(0,8) mm, OB hole (oval) 14x28 mm	stainless steel	- grezzo	500 x box 500



To be combined with:
the oval key rosettes 30x60 OB hole
at pos.293.a

Position Article code	Description	Material	Color Finish	Packaging Outer pack
293.a MKBV3060V0/01NA	=Oval key rosette 30x60 mm, OB hole (oval) 14x28 mm=	polyamide	black -	500 x bag 500



== : see details
To be combined with:
the oval key rosettes 30x60x10 OB hole
from pos.290.a to pos.292.a

Position Article code	Description	Material	Color Finish	Packaging Outer pack
297.f MTBV3060W0/0000	Oval rosette 30x60x10(0,8) mm, WC hole (free-engaged handwheel)	brass	- grezzo	500 x box 500
297.i MLBV3060W0/0000	Oval rosette 30x60x10(1,0) mm, WC hole (free-engaged handwheel)	aluminium	- grezzo	500 x box 500
297.l MXBV3060W0/0000	Oval rosette 30x60x10(0,8) mm, WC hole (free-engaged handwheel)	stainless steel	- grezzo	500 x box 500



To be combined with:
the oval key rosettes 30x60
with free-engaged handwheel
from pos.297.o to pos.297.y

Position Article code	Description	Material	Color Finish	Packaging Outer pack
297.o MKBV3060W0/00NA	=Oval Rosette 30x60 mm with free-engaged handwheel, square 4 mm, height 12 mm=	polyamide polystyrene	black -	500 x box 500
297.q MKBV3060W0/01NA	=Oval Rosette 30x60 mm with free-engaged handwheel, square 4,5 mm, height 12 mm=	polyamide polystyrene	black -	500 x box 500
297.s MKBV3060W0/02NA	=Oval Rosette 30x60 mm with free-engaged handwheel, square 5 mm, height 12 mm=	polyamide polystyrene	black -	500 x box 500
297.u MKBV3060W0/03NA	Oval Rosette 30x60 mm with free-engaged handwheel, square 6 mm, height 12 mm	polyamide polystyrene	black -	500 x box 500
297.w MKBV3060W0/04NA	=Oval Rosette 30x60 mm with free-engaged handwheel, square 7 mm, height 12 mm=	polyamide polystyrene	black -	500 x box 500
297.y MKBV3060W0/05NA	=Oval Rosette 30x60 mm with free-engaged handwheel, square 8 mm, height 12 mm=	polyamide polystyrene	black -	500 x box 500

== : see details
 To be combined with:
 the oval key rosettes 30x60x10 WC hole
 from pos.297.f to pos.297.l
 and the rectangular key rosettes
 30x60x9,5 WC hole
 from pos.301.a.41 to pos.301.a.43

Position Article code	Description	Material	Color Finish	Packaging Outer pack
298.a MTBV3060Y0/0000	Oval key rosette 30x60x10(0,8) mm, PZ hole (yale)	brass	- grezzo	500 x box 500
299.a MLBV3060Y0/0000	Oval key rosette 30x60x10(1,0) mm, PZ hole (yale)	aluminium	- grezzo	500 x box 500
300.a MXBV3060Y0/0000	Oval key rosette 30x60x10(0,8) mm, PZ hole (yale)	stainless steel	- grezzo	500 x box 500

To be combined with:
 the oval key rosettes 30x60 PZ hole
 from poz.300.z to poz.301.a

Position Article code	Description	Material	Color Finish	Packaging Outer pack
300.z MKBV3060Y0/0001	=Oval key rosette 30x60 mm, PZ hole (yale)=	polyamide	neutral -	500 x bag 500
301.a MKBV3060Y0/00NA	Oval key rosette 30x60 mm, PZ hole (yale)	polyamide	black -	500 x bag 500

== : see details
 To be combined with:
 the oval key rosettes 30x60x10 PZ hole
 from pos.298.a to pos.300.a
 and the rectangular key rosettes
 30x60x9,5 PZ hole
 from pos.301.a.31 to pos.301.a.33