

**atp di F. Garzoni**

I - 25074 LAVENONE - BS - ITALY

via del Tram, 8

P.Iva P.Iva IT00232730986

FAX +39 0365 823054

www.atp.it - info@atp.it

**Update: 04-08-2022 06:49:44**

articoli tecnici per l'industria e la casa

termoplastici e metalli

**industrial and housing technical items**

**thermoplastic and metal**



## **CATALOG - MA - Accessories for handles**



Our online catalogue on [www.atp.it](http://www.atp.it) is always up-to-date.



Index (in order of appearance in the catalog):

- Oval roses and selvages

**Minimum order = 1 bag/box**

**The measures and weights indicated in the catalogue are nominal values.**

**The descriptions between equals (= =) are special versions without immediate availability on stock.**

**Discard up to a 1% is to be considered normal.**


## Accessories for handles / Oval roses and selvages / 28x64

Position Article code	Description	Material	Color Finish	Packaging Outer pack
308.a MTRV264000/0000	Oval rosette 28x64x11(0,8) mm, hole d 22 mm	brass	- grezzo	500 x box 500
308.b MTRV264000/0100	Oval rosette 28x64x11(0,8) mm, hole d 24 mm	brass	- grezzo	500 x box 500
308.c MTRV264000/0200	Oval rosette 28x64x11(0,8) mm, hole d 20 mm	brass	- grezzo	500 x box 500
309.a MLRV264000/0000	Oval rosette 28x64x11(1,0) mm, hole d 22 mm	aluminium	- grezzo	500 x box 500
309.b MLRV264000/0100	Oval rosette 28x64x11(1,0) mm, hole d 24 mm	aluminium	- grezzo	500 x box 500
310.a MXRV264000/0000	Oval rosette 28x64x11(0,7) mm, hole d 22 mm	stainless steel	- grezzo	500 x box 500
310.b MXRV264000/0100	Oval rosette 28x64x11(0,7) mm, hole d 24 mm	stainless steel	- grezzo	500 x box 500
310.c MXRV264000/0200	Oval rosette 28x64x11(0,7) mm, hole d 20 mm	stainless steel	- grezzo	500 x box 500



To be combined with:  
the oval rosettes 28x60 for spring  
from pos.314.c to pos.314.c.03  
and the oval rosettes 28x64  
with 4 and 8 positions  
from pos.311.a to pos.311.k  
from pos.312.a to pos.312.k

Position Article code	Description	Material	Color Finish	Packaging Outer pack
314.c MKRV264A16/00NA	=Oval rosette 28x64 mm, hole d 16 mm, neck d 21 mm, for spring=	polyamide	black -	500 x bag 500
314.c.01 MKRV264A16/01NA	=Oval rosette 28x64 mm, hole d 16 mm, neck d 24 mm, for spring=	polyamide	black -	500 x bag 500
314.c.02 MKRV264A18/00NA	=Oval rosette 28x64 mm, hole d 18 mm, neck d 21 mm, for spring=	polyamide	black -	500 x bag 500
314.c.03 MKRV264A18/01NA	Oval rosette 28x64 mm, hole d 18 mm, neck d 24 mm, for spring	polyamide	black -	500 x bag 500





== : see details  
To be combined with:  
the oval rosettes 28x64  
from pos.308.a to pos.310.c


Position Article code	Description	Material	Color Finish	Packaging Outer pack
314.d MTBV2640V0/0000	Oval Key rosette 28x64x11(0,8) mm, OB hole (oval)	brass	- grezzo	500 x box 500
314.d.01 MLBV2640V0/0000	Oval Key rosette 28x64x11(1,0) mm, OB hole (oval)	aluminium	- grezzo	500 x box 500
314.d.02 MXBV2640V0/0000	Oval Key rosette 28x64x11(0,7) mm, OB hole (oval)	stainless steel	- grezzo	500 x box 500



To be combined with:  
the oval key rosettes 28x64  
OB hole at pos.314.e

Position Article code	Description	Material	Color Finish	Packaging Outer pack
314.e MKBV2640V0/00NA	Oval Key rosette 28x64 mm, OB hole (oval)	polyamide	black -	500 x bag 500
		To be combined with: the oval key rosettes 28x64 OB hole from pos.314.d to pos.314.d.02		

Position Article code	Description	Material	Color Finish	Packaging Outer pack
314.F MTBV2640Y0/0000	Oval Key rosette 28x64x11(0,8) mm, PZ hole (yale)	brass	- grezzo	500 x box 500
314.F.01 MLBV2640Y0/0000	Oval Key rosette 28x64x11(1,0) mm, PZ hole (yale)	aluminium	- grezzo	500 x box 500
314.F.02 MXBV2640Y0/0000	Oval Key rosette 28x64x11(0,7) mm, PZ hole (yale)	stainless steel	- grezzo	500 x box 500
		To be combined with: the oval key rosettes 28x64 PZ hole at pos.314.g		

Position Article code	Description	Material	Color Finish	Packaging Outer pack
314.g MKBV2640Y0/00NA	Oval Key rosette 28x64 mm, PZ hole (yale)	polyamide	black -	500 x bag 500
		To be combined with: the oval key rosettes 28x64 PZ hole from pos.314.f to pos.314.f.02		