

**atp di F. Garzoni**

I - 25074 LAVENONE - BS - ITALY

via del Tram, 8

P.Iva P.Iva IT00232730986

FAX +39 0365 823054

www.atp.it - info@atp.it

**Update: 17-09-2019 09:56:38**

articoli tecnici per l'industria e la casa

termoplastici e metalli

**industrial and housing technical items**

**thermoplastic and metal**



## **CATALOG - MA - Аксессуары для рычагов управления и ручек**



Our online catalogue on [www.atp.it](http://www.atp.it) is always up-to-date.



Index (в порядке появления в каталоге):


- механизм ДК (4-8 позиций)


**Minimum order = 1 bag/box**


**The measures and weights indicated in the catalogue are nominal values.**

**The descriptions between equals (= =) are special versions without immediate availability on stock.**

**Discard up to a 1% is to be considered normal.**

позиция артикул	описание	материал	цвет отделка	упаковка упаковка
284.a MKDM306A10/0001	Compensation sleeve from d 10 to 12 mm, for screw hole nuts of the rosettes 30x60 mm and 30x65 mm with 4-8 positions	полиацеталь	нейтральный оккк	500 за пакетик 35.000
284.b MKDM306A10/00BR	=Compensation sleeve from d 10 to 12 mm, for screw hole nuts of the rosettes 30x60 mm and 30x65 mm with 4-8 positions=	полиацеталь	золото бронза	500 за пакетик 500
		== : see details To be combined with: the oval rosettes 30x60 4 or 8 positions at pos.281.t from pos.282.a to pos.282.h.05 from pos.283.h.02 to pos.283.h.40 from pos.284.c.01 to pos.284.c.70 and the oval rosettes 30x65x12 4 or 8 positions at pos.304.t from pos.305.a to pos.305.g from pos.306.h.02 to pos.306.h.09 from pos.307.c.01 to pos.307.c.07		

позиция артикул	описание	материал	цвет отделка	упаковка упаковка
313.a MKD264R000/0001	Rotor hole d 16 mm, 4 positions, for milled lever	полиамид	нейтральный оккк	500 за пакетик 7.000
313.b MKD264R000/00OC	=Rotor hole d 16 mm, 4 positions, for milled lever=	полиамид	светлое золото	500 за пакетик 7.000
313.b.05 MKD264R000/00NA	=Rotor hole d 16 mm, 4 positions, for milled lever=	полиамид	черный	500 за пакетик 500
		== : see details To be combined with: the oval rosettes 28x64 4 and 8 positions from pos.311.a to pos.311.k from pos.312.a to pos.312.k and the oval rosettes 31x65 4 and 8 positions from pos.307.d.01 to pos.307.d.02 at pos.307.d.20		

позиция артикул	описание	материал	цвет отделка	упаковка упаковка
313.b.20 MKD254R000/0001	Rotor hole d 16 mm, 4 positions, for clip-on fixation milled handle	полиамид	нейтральный оккк	500 за пакетик 7.000
		To be combined with: the oval rosettes 30x60 at pos.281.q and 281.t and the oval rosettes 30x65 at pos.304.q and 304.t		

позиция артикул	описание	материал	цвет отделка	упаковка упаковка
313.c.01 MKD264R000/0101	Rotor hole d 16 mm, 8 positions, for milled lever	полиамид	нейтральный okkk -	500 за пакетик 7.000
313.c.02 MKD264R000/010C	=Rotor hole d 16 mm, 8 positions, for milled lever=	полиамид	светлое золото -	500 за пакетик 7.000
313.c.05 MKD264R000/01NA	=Rotor hole d 16 mm, 8 positions, for milled lever=	полиамид	черный -	500 за пакетик 7.000

== : see details  
To be combined with:  
the oval rosettes 28x64  
4 and 8 positions  
from pos.311.a to pos.311.k  
from pos.312.a to pos.312.k  
and the oval rosettes 31x65  
4 and 8 positions  
from pos.307.d.01 to pos.307.d.02  
at pos.307.d.20

позиция артикул	описание	материал	цвет отделка	упаковка упаковка
313.c.11 MAZ016Z000/0000	Rotor hole d 16 mm, 4 positions, for riveting handle	ЦАМ	- grezzo	500 за пакетик 500

To be combined with:  
the oval rosettes 28x64  
4 and 8 positions  
from pos.311.a to pos.311.k  
from pos.312.a to pos.312.k  
and the oval rosettes 31x65  
4 and 8 positions  
from pos.307.d.01 to pos.307.d.02  
at pos.307.d.20

позиция артикул	описание	материал	цвет отделка	упаковка упаковка
314.a MAG1621242/0001	=Gasket d 16x21x24x2 mm=	полиамид	нейтральный okkk -	500 за пакетик 30.000
314.b MAG1621242/000C	Gasket d 16x21x24x2 mm	полиамид	светлое золото -	500 за пакетик 3.000

== : see details  
To be combined with:  
oval 4 positions rosettes 28x64  
with neck 21,5  
at pos.311.b,311.d,311.k,  
312.b,312.d,312.k