

atp di F. Garzoni

I - 25074 LAVENONE - BS - ITALY

via del Tram, 8

P.Iva P.Iva IT00232730986

FAX +39 0365 823054

www.atp.it - info@atp.it

Update: 26-11-2022 09:55:01

articoli tecnici per l'industria e la casa

termoplastici e metalli

industrial and housing technical items

thermoplastic and metal



CATALOGO - MA - Kol aksesuarları



Our online catalogue on www.atp.it is always up-to-date.

Endeksi (katalogda görünüm sirasına göre):

- Yuvarlak rozet 47,5 mm

Minimum order = 1 bag/box


The measures and weights indicated in the catalogue are nominal values.

The descriptions between equals (= =) are special versions without immediate availability on stock.

Discard up to a 1% is to be considered normal.


Kol aksesuarları / Yuvarlak rozet 47,5 mm / roses

Position Kod	Description	Material	Color Üstyüzey	Packaging Ambalaj
370.a MTRT475000/0000	Round rose d 47,5x11(0,8) mm bulged, hole d 22 mm	pirinç	- grezzo	500 x box 500
370.a.01 MTRT475000/0100	Round rose d 47,5x11(0,8) mm bulged, hole d 24 mm	pirinç	- grezzo	500 x box 500
370.a.02 MTRT475000/0200	Round selvage d 47,5x11(0,8) mm bulged, without hole	pirinç	- grezzo	500 x box 500
370.b MLRT475000/0000	Round rose d 47,5x11(0,8) mm bulged, hole d 22 mm	alüminyum	- grezzo	500 x box 500
370.b.01 MLRT475000/0100	Round rose d 47,5x11(0,8) mm bulged, hole d 24 mm	alüminyum	- grezzo	500 x box 500
370.b.05 MLRT475000/0200	Round rose d 47,5x11(0,8) mm bulged, hole d 16 mm	alüminyum	- grezzo	500 x box 500
370.c.02 MXRT475000/0000	Round rose d 47,5x11(0,8) mm bulged, hole d 22 mm	paslanmaz çelik	- grezzo	500 x box 500
370.c.05 MXRT475000/0100	Round rose d 47,5x11(0,8) mm bulged, hole d 24 mm	paslanmaz çelik	- grezzo	500 x box 500
370.c.20 MRRT475000/0000	Round rose d 47,5x11(0,8) mm bulged, hole d 22 mm	iron	- grezzo	500 x box 500




To be combined with:
bulged rosettes d 47,5x11
at pos.370.g.05 ,370.j.05 ,
370.m.05,370.q.05
from pos.371.a to pos.371.a.07
from pos.372.a.03 to pos.372.c.08
from pos.373.a to pos.373.c.07
from pos.374.a.02 to pos.374.c.07

Position Kod	Description	Material	Color Üstyüzey	Packaging Ambalaj
370.g.05 MKRT475C16/0001	Spring-loaded bulged rosette d 47,5x11 mm, screw head holes without nuts, hole d 16 mm, without neck, square 8 mm	polyamide polyacetal paslanmaz çelik	neutral -	500 x box 500



Special gross prices for big quantities
To be combined with:
bulged rosettes d 47,5x11
from pos.370.a to pos.370.c.20
and with the gasket d 16x22x2
from pos.389.b to pos.389.g

Position Kod	Description	Material	Color Üstyüzey	Packaging Ambalaj
370.j.05 MKRT475C16/0101	Spring-loaded bulged rosette d 47,5x11 mm, screw head holes without nuts, hole d 16 mm, without neck, for milled lever	polyamide polyacetal paslanmaz çelik	neutral -	500 x box 500



Special gross prices for big quantities
To be combined with:
bulged rosettes d 47,5x11
from pos.370.a to pos.370.c.20
and with the gasket d 16x22x2
from pos.389.b to pos.389.g


Position Kod	Description	Material	Color Üstyüzey	Packaging Ambalaj
370.m.05 MKRT475C16/0201	Spring-loaded bulged rosette d 47,5x11 mm, screw head holes with nuts, hole d 16 mm, without neck, square 8 mm	polyamide polyacetal paslanmaz çelik	neutral -	500 x box 0
		Special gross prices for big quantities To be combined with: bulged rosettes d 47,5x11 from pos.370.a to pos.370.c.20 and with the gasket d 16x22x2 from pos.389.b to pos.389.g		

Position Kod	Description	Material	Color Üstyüzey	Packaging Ambalaj
370.q.05 MKRT475C16/0301	Spring-loaded bulged rosette d 47,5x11 mm, screw head holes with nuts, hole d 16 mm, without neck, for milled lever	polyamide polyacetal paslanmaz çelik	neutral -	500 x box 0
		Special gross prices for big quantities To be combined with: bulged rosettes d 47,5x11 from pos.370.a to pos.370.c.20 and with the gasket d 16x22x2 from pos.389.b to pos.389.g		

Position Kod	Description	Material	Color Üstyüzey	Packaging Ambalaj
371.a MKRT475A15/00NA	=Bulged rosette d 47,5x11 mm, screw head holes with nuts, hole -A- d 15 mm, without neck, for spring=	polyamide	black -	500 x bag 500
371.a.01 MKRT475A15/01NA	=Bulged rosette d 47,5x11 mm, screw head holes with nuts, hole -A- d 15 mm, neck -B- d 21 mm, for spring=	polyamide	black -	500 x bag 500
371.a.03 MKRT475A16/00NA	=Bulged rosette d 47,5x11 mm, screw head holes with nuts, hole -A- d 16 mm, without neck, for spring=	polyamide	black -	500 x bag 500
371.a.06 MKRT475A18/00NA	=Bulged rosette d 47,5x11 mm, screw head holes with nuts, hole -A- d 18 mm, without neck, for spring=	polyamide	black -	500 x bag 500
371.a.07 MKRT475A18/01NA	=Bulged rosette d 47,5x11 mm, screw head holes with nuts, hole -A- d 18 mm, neck -B- d 21 mm, for spring=	polyamide	black -	500 x bag 500
		Special gross price for big quantity and == : see details To be combined with: rosettes d 47,5x11 bulged from pos.370.a to pos.370.c.20 the torsion spring thickness 2,5 at pos.348.b the cam washers pos.349.a or 351.a the circlip d 15 at pos.352.a or the right-left spring d 33 at pos.346.d and pos.346.h		


Position Kod	Description	Material	Color Üstyüzey	Packaging Ambalaj
372.a.03 MKRT475A16/03NA	Bulged rosette d 47,5x11 mm, screw head holes without nuts, hole -A- d 16 mm, without neck, for spring	polyamide	black -	500 x bag 500
372.a.04 MKRT475A16/04NA	Bulged rosette d 47,5x11 mm, screw head holes without nuts, hole -A- d 16 mm, neck -B- d 21 mm, for spring	polyamide	black -	500 x bag 500
372.a.05 MKRT475A16/05NA	Bulged rosette d 47,5x11 mm, screw head holes without nuts, hole -A- d 16 mm, neck -B- d 24 mm, for spring	polyamide	black -	500 x bag 500
372.a.06 MKRT475A18/03NA	=Bulged rosette d 47,5x11 mm, screw head holes without nuts, hole -A- d 18 mm, without neck, for spring=	polyamide	black -	500 x bag 500
372.a.07 MKRT475A18/04NA	=Bulged rosette d 47,5x11 mm, screw head holes without nuts, hole -A- d 18 mm, neck -B- d 21 mm, for spring=	polyamide	black -	500 x bag 500
372.b.02 MKRT475A15/05OC	=Bulged rosette d 47,5x11 mm, screw head holes without nuts, hole -A- d 15 mm, neck -B- d 24 mm, for spring=	polyamide	light gold -	500 x bag 500
372.b.03 MKRT475A16/03OC	=Bulged rosette d 47,5x11 mm, screw head holes without nuts, hole -A- d 16 mm, without neck, for spring=	polyamide	light gold -	500 x bag 500
372.b.04 MKRT475A16/04OC	=Bulged rosette d 47,5x11 mm, screw head holes without nuts, hole -A- d 16 mm, neck -B- d 21 mm, for spring=	polyamide	light gold -	500 x bag 500
372.b.05 MKRT475A16/05OC	=Bulged rosette d 47,5x11 mm, screw head holes without nuts, hole -A- d 16 mm, neck -B- d 24 mm, for spring=	polyamide	light gold -	500 x bag 500
372.c.06 MKRT475A18/03AG	=Bulged rosette d 47,5x11 mm, screw head holes without nuts, hole -A- d 18 mm, without neck, for spring=	polyamide	silver -	500 x bag 500
372.c.08 MKRT475A18/05AG	=Bulged rosette d 47,5x11 mm, screw head holes without nuts, hole -A- d 18 mm, neck -B- d 24 mm, for spring=	polyamide	silver -	500 x bag 500
372.d.05 MKRT475A16/0401	=Bulged rosette d 47,5x11 mm, screw head holes without nuts, hole -A- d 16 mm, neck -B- d 21 mm, for spring=	polyamide	neutral -	500 x bag 500
		<p>Special gross price for big quantity and == : see details To be combined with: rosettes d 47,5x11 bulged from pos.370.a to pos.370.c.20 the torsion spring thickness 2,5 at pos.348.b the cam washers pos.349.a or 351.a the circlip d 15 at pos.352.a or the right-left spring d 33 at pos.346.d and pos.346.h</p>		

Position Kod	Description	Material	Color Üstyüzey	Packaging Ambalaj
373.a MKRT475A15/09NA	=Bulged rosette d 47,5x11 mm, self-tapping screw holes with nuts, hole -A- d 15 mm, without neck, for spring=	polyamide	black -	500 x bag 500
373.a.04 MKRT475A16/10NA	=Bulged rosette d 47,5x11 mm, self-tapping screw holes with nuts, hole -A- d 16 mm, neck -B- d 21 mm, for spring=	polyamide	black -	500 x bag 500
373.c.06 MKRT475A18/09AG	=Bulged rosette d 47,5x11 mm, self-tapping screw holes with nuts, hole -A- d 18 mm, without neck, for spring=	polyamide	silver -	500 x bag 500
373.c.07 MKRT475A18/10AG	=Bulged rosette d 47,5x11 mm, self-tapping screw holes with nuts, hole -A- d 18 mm, neck -B- d 21 mm, for spring=	polyamide	silver -	500 x bag 500



Special gross price for big quantity and == : see details
To be combined with:
rosettes d 47,5x11 bulged from pos.370.a to pos.370.c.20 the torsion spring thickness 2,5 at pos.348.b
the cam washers pos.349.a or 351.a
the circlip d 15 at pos.352.a or the right-left spring d 33 at pos.346.d and pos.346.h

Position Kod	Description	Material	Color Üstyüzey	Packaging Ambalaj
374.a.02 MKRT475A15/08NA	=Bulged rosette d 47,5x11 mm, screw head hole and self-tapping screw hole with nuts, hole -A- d 15 mm, neck -B- d 24 mm, for spring=	polyamide	black -	500 x bag 500
374.a.04 MKRT475A16/07NA	=Bulged rosette d 47,5x11 mm, screw head hole and self-tapping screw hole with nuts, hole -A- d 16 mm, neck -B- d 21 mm, for spring=	polyamide	black -	500 x bag 500
374.a.08 MKRT475A18/08NA	=Bulged rosette d 47,5x11 mm, screw head hole and self-tapping screw hole with nuts, hole -A- d 18 mm, neck -B- d 24 mm, for spring=	polyamide	black -	500 x bag 500
374.b MKRT475A15/06OC	=Bulged rosette d 47,5x11 mm, screw head hole and self-tapping screw hole with nuts, hole -A- d 15 mm, without neck, for spring=	polyamide	light gold -	500 x bag 500
374.b.01 MKRT475A15/07OC	=Bulged rosette d 47,5x11 mm, screw head hole and self-tapping screw hole with nuts, hole -A- d 15 mm, neck -B- d 21 mm, for spring=	polyamide	light gold -	500 x bag 500
374.c.07 MKRT475A18/07AG	=Bulged rosette d 47,5x11 mm, screw head hole and self-tapping screw hole with nuts, hole -A- d 18 mm, neck -B- d 21 mm, for spring=	polyamide	silver -	500 x bag 500



Special gross price for big quantity and == : see details
To be combined with:
rosettes d 47,5x11 bulged from pos.370.a to pos.370.c.20 the torsion spring thickness 2,5 at pos.348.b
the cam washers pos.349.a or 351.a
the circlip d 15 at pos.352.a or the right-left spring d 33 at pos.346.d and pos.346.h